

2021/2022

GENERAL CATALOGUE

 **Benelli**

IN ORDER TO FIND THE ANSWERS, YOU NEED TO ASK YOURSELF
THE RIGHT QUESTIONS, KNOW HOW TO LISTEN TO IMPULSES
AND NEEDS AND TRANSFORM THEM INTO CREATIVITY.

Through self-questioning new certainties are discovered,
because at the root of thought, reflection, progress curiosity lies.

Ours is a constantly updating quest - taking shape
in creations crammed with all the passion and know-how
we possess. Not the end unto itself.

Therefore when our minds open to discovery and the
imagined becomes the real, we perceive the answers we
have been looking for. To satisfy every requirement,
in order to achieve the best performance.



2021/2022

GENERAL CATALOGUE

INDEX

SEMIAUTOMATIC SHOTGUNS

8 RAFFAELLO	28 BLACK EAGLE	42 VINCI	52 M2	62 MONTEFELTRO
9 Raffaello 500° Anniversary 20 GA	31 Black Eagle 12, 20 GA	44 Vinci Black 12 GA	53 M2 Wood 12 GA	64 Mygra 20 GA
10 Raffaello Lord 12 GA	32 Black Eagle Camo MAX 5 12 GA	45 Vinci Camo MAX 5 12 GA	54 M2 Comfortech 12 GA	65 Colombo 12 GA
11 Raffaello Lord 20 20 GA	33 Black Eagle Camo Optifade Marsh 12 GA	46 Vinci Supersport 12 GA	55 M2 Comfortech 20 GA	66 Beccaccia Supreme 12, 20 GA
12 Raffaello Be Diamond 12 GA	3.5" SUPER MAGNUM CHAMBER SHOTGUNS	47 Vinci Tactical 12 GA	56 M2 Comfortech Left Hand 12, 20 GA	67 Montefeltro Beccaccia 20 GA
13 Raffaello De Luxe Power Bore 12 GA		3.5" SUPER MAGNUM CHAMBER SHOTGUNS	57 M2 Comfortech Camo MAX 5 12, 20 GA	68 Ultra Light 12, 20 GA
14 Raffaello Power Bore 12 GA	28 SUPER BLACK EAGLE 3		58 M2 Cerakote Tungsten Black 12 GA	69 Centro 12 GA
15 Raffaello Black 12 GA	34 SBE 3 BE.S.T 12 GA	48 SUPER VINCI	59 M2 Cerakote Tungsten Camo 12 GA	70 Montefeltro Silver 12, 20 GA
16 Raffaello Ethos Black 12, 28 GA	35 SBE 3 Wood 12 GA	49 Super Vinci Black 12 GA	60 M2 Practical 12 GA	71 Duca di Montefeltro 12, 20 GA
17 Raffaello Ethos Silver 20, 28 GA	36 SBE 3 Black 12 GA	50 Super Vinci Camo MAX 5 12 GA	61 M2 Tactical 12 GA	72 Extra Light 12 GA
18 Executive 12 GA	37 SBE 3 Camo MAX 5 12 GA	51 Super Vinci Optifade Marsh 12 GA		73 Montefeltro 12 GA
20 Raffaello Slug 20 GA	38 SBE 3 Camo Cerakote Tungsten 12 GA			74 Montefeltro 20 GA
21 Raffaello Ethos Cordoba 12, 20, 28 GA	39 SBE 3 Mossy Oak Bottomland 12 GA			75 Comfort 12, 20 GA
22 Raffaello Criocomfort Left Hand 12 GA	40 SBE 3 Optifade Timber 12 GA			76 M3
23 Raffaello Ethos Sport 12, 20, 28 GA	41 SBE 3 Optifade Marsh 12 GA			77 M3 Black 12 GA
24 Raffaello Sport II 12, 20 GA				78 M3 Tactical 12 GA
25 Raffaello Ethos Super Sport 12, 20, 28 GA				79 M3 Kromo 12 GA
26 Raffaello Super Sport WorldCup 12 GA				80 M4
27 Raffaello Super Sport 12, 20 GA				81 M4 Black 12 GA
				82 M4 Camo Cerakote Silver 12 GA
				83 M4 Camo Cerakote Brown 12 GA

IPSC SHOOTING	OVER & UNDER	BOLT ACTION	SEMIAUTOMATIC RIFLES	PUMPS ACTION
84 IPSC SHOOTING	90 828 U	97 LUPO	100 ENDURANCE	114 NOVA
85 M2 SP 12 GA	91 828 U Silver 12 GA	99 Lupo	101 Endurance BE.S.T.	116 Nova Black 12, 20 GA
87 M2 Speed 12 GA	92 828 U Silver 20 GA		103 Endurance BE.S.T. Limited Edition	117 Nova Camo MAX 5 12 GA
89 Nova Speed 12 GA	93 828 U Black 12 GA		104 ARGO E	118 Nova H2O 12 GA
	94 828 U Beccaccia 12, 20 GA		105 Argo E Pro	114 SUPERNOVA
	95 828 U Sport 12 GA		106 Argo E Prestige	119 Supernova Black 12 GA
			107 Argo E Wood	120 Supernova Camo MAX 5 12 GA
			108 Argo E Comfortech	121 Supernova Tactical 12 GA
			109 Argo E Compact Black	
			110 Argo E Fluted	PISTOLS
			111 Argo E Battue	122 MP
			112 Argo E Amazonia Green	123 MP 90S World Cup
			112 Argo E Sequoia Brown	123 MP 95 E
			113 MRI	124 AIR PRESSED KITE (Free Sales)
			113 MRI	125 Kite
				125 Kite Young

KEY

WEIGHT: weight can vary according to weight of wood and components' tolerance
 KND: Knurled
 L.O.P. Length of pull
 ADJ: Adjustable

EXTRA

5 WARRANTY
6 TECHNOLOGIES
126 BARRELS
132 STEEL SHOT

10
—
25

THE BEST WARRANTY
IN THE WORLD

SAFE VALUE

To protect the value of your Benelli,
we offer you the best.

A warranty service never seen before.

Every firearm is guaranteed for:

10 Years on mechanical parts

25 Years against corrosion

for components treated with **BE.S.T.** technology

REGISTERING THE WARRANTY IS EASY



Within one month from the purchase
of your Benelli, visit **benelli.it**



Insert your data
in the Reserved Area



Once logged-in with your credentials,
register the warranty

Enter Benelli's world and find out all the plus for you.

Your passion deserves a first-class service.



TECHNOLOGIES



BE.S.T.

Benelli Surface Treatment makes the barrel extremely hard and adds resistance to corrosion, without the need for maintenance with protective oil. Unlike the current coatings on the market that become easily susceptible to rust, the BE.S.T. technology ensures total protection of the barrel. The resulting surface, totally anti-reflective, stands out for its precious aesthetics, coloured total black.



Essential design, simple construction and mechanical precision guarantee maximum strength and reliability.



The innovative progressive recoil absorption system kicks in gradually according to cartridge loading. This is the true essence of comfort in wood, an invisible, yet highly sensitive system.



In-Line Inertia Driven System included in Vinci and Super Vinci features a shorter bolt head. The shutter cycle takes place in axis with the barrel for a perfect distribution of forces, impeccable balance and minimization of muzzle climb.



ComfortTech 3 is the most efficient Full Comfort system in the world. With its improved geometry, ComfortTech 3 significantly reduces the perception of recoil. The re-target is faster and control is optimised in each phase to ensure total comfort for the user.



The gas recovery ARGO E SYSTEM has been revamped in terms of construction geometry, materials and movements. The new piston guarantees perfect operation and the new components made of special material are resistant to corrosion.



The Comfortech Plus System on Vinci and Super Vinci reduces barrel detection and accelerates target recovery.



The Gas Operated ARGO E SYSTEM mechanism is synonymous with reliability, resistance and safety, it ensures shooting accuracy and durability – tested and approved by the Marines.



The Comfortech System is the patent that can offer superior shooting performance in terms of reducing recoil, muzzle climb, alignment and better target acquisition on the following shot.



The patented locking system consists of a plate that perfectly seals the single-piece unit. The steel locking system is durable and guarantees the elimination of any mechanical stress on the receiver.



Benelli's technological evolution has generated the new CombTech comb to reduce the impact on your face. The combination of an elastic structure with an ergonomic system capable of adapting to the shape of your cheekbone and returning instantly to the original position absorbs the impact on your cheek.

SpeedBolt

The SpeedBolt system is characterised by a bolt that features a tungsten insert: this makes the cycle faster and the shotgun easier to handle, with less recoil leading to less uplift.



Progressive Balancing is the patent Benelli that allows to adjust the firearm's barycenter position simply and precisely.



Possibility to choose between 40 different combinations of drop and cast for a natural and instinctive aiming.



The Power Bore cryogenic barrel with selected bore and very small diameters ensures greater speed and target penetration. Power Bore Crio: the ideal bore for a perfect hit and to be sure you'll never miss the target.



Cryogenic treatment ensures superior ballistic performance thanks to the vibration and expansion of the barrel evenly on firing. The pattern provided by a cryogenic barrel is wider, more regular and more uniform.



The barrel forms a single unit with the receiver cover and operates coaxially to the new Vinci Inertia Bolt System. Perfect balance for unprecedented accuracy.



The new carbon fibre rib has been restyled and now features a sight that accommodates a high-brightness optical fibre. .



The exclusive dispensing system, unrivalled in distances between 10 and 20 meters, guarantees a broader and more densely pattern.



Selected walnut wood embellished by the exclusive "Wood Touch" checkering with a triangle pattern guarantees secure grip under all conditions.



The specific and special treatment that guarantees tough resistance to the most adverse climatic conditions and makes the wood more brilliant.



Technology that enhances and emphasises the wood grain, lending a shiny refined look to stock and fore-end.



A new generation checkering that thanks to the aerodynamics of the small spheres ensures superior grip and allows for quick shouldering for a firm, effective and comfortable grip.



This patented system allows you to see all cartridges present in the magazine through a slot in the lower section of the fore-end. The advantages in terms of safety and functionality are considerable. A bright red signal indicates that the firearm is loaded.



Every Benelli bolt action is accuracy-tested to guarantee it performs sub-M.O.A. accuracy with a 3 shot group, using quality factory ammunition.

RAFFAELLO

SEMIAUTOMATIC SHOTGUNS

9	Raffaello 500° Anniversary	20 GA
10	Raffaello Lord	12 GA
11	Raffaello Lord 20	20 GA
12	Raffaello Be Diamond	12 GA
13	Raffaello De Luxe Power Bore	12 GA
14	Raffaello Power Bore	12 GA

15	Raffaello Black	12 GA
16	Raffaello Ethos Black	12, 28 GA
17	Raffaello Ethos Silver	20, 28 GA
18	Executive	12 GA
20	Raffaello Slug	20 GA
21	Raffaello Ethos Cordoba	12, 20, 28 GA
22	Raffaello Criocomfort Left Hand	12 GA

23	Raffaello Ethos Sport	12, 20, 28 GA
24	Raffaello Sport II	12, 20 GA
25	Raffaello Ethos Super Sport	12, 20, 28 GA
26	Raffaello Super Sport WorldCup	12 GA
27	Raffaello Super Sport	12, 20 GA

RAFFAELLO 500° ANNIVERSARY

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/IN)	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0528300	20	76 mm - 3"	365	3 (76); 4 (70)	65/26 ◇	Pistol with Progressive Comfort system	BE.S.T. glossy	Ventilated carbon fibre flat	Intermediate metallic sight and long red fibre-optic	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (****); CYL (****)
A0528400		76 mm - 3"	365	3 (76); 4 (70)	70/28 ◇					

Weight (± 100g): 2650

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 4 Oil Walnut Wood

Comb: Soft Techno Polyurethane

Trigger Pull (Kg) (± 10 %): 2.5



BE.S.T.

POWERBORE

CRIO SYSTEM

Benelli

RAFFAELLO LORD **NEW**

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	Magazine (2 with limiter)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0531400	12	76 mm - 3"	365	3 (76); 4 (70)	65/26 ◇	Pistol	Blued glossy	Ventilated carbon fibre flat	Intermediate metallic sight and long red fibre-optic	2 INTERNAL 70 mm M (**); CYL (****)
A0531500		76 mm - 3"	365	3 (76); 4 (70)	70/28 ◇					
A0531600		76 mm - 3"	365	3 (76); 4 (70)	76/30 ◇					

Weight (± 100g): 3100

Recoil Pad: Wood

Stock and Forend finishing: Leather coated Walnut Wood

Comb: Leather

Trigger Pull (Kg) (± 10 %): 2.5

RAFFAELLO LORD 20

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	Magazine (2 with limiter)	BARREL LENGTH (CM/IN)	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIQ
A0384001	20	76 mm - 3"	365	3 (76); 4 (70)	65/26 	Pistol	Blued matt	Ventilated carbon fibre flat	Long red fibre-optic	2 INTERNAL 70 mm M (***); CYL (****)
A0384101		76 mm - 3"	365	3 (76); 4 (70)	70/28 					

Weight (± 100g): 2580

Recoil Pad: Wood

Stock and Forend finishing: Leather coated Walnut Wood

Comb: -

Trigger Pull (Kg) (± 10 %): 2.5



RAFFAELLO BE DIAMOND

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0473900	12	76 mm - 3"	365	3 (76); 4 (70)	65/26 	Pistol with Comfortech 3 system	BE.S.T. glossy	Ventilated carbon fibre flat	Intermediate metallic sight and long red fibre-optic	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0474000		76 mm - 3"	365	3 (76); 4 (70)	70/28 					
A0474100		76 mm - 3"	365	3 (76); 4 (70)	76/30 					

Weight (± 100g): 2900
Recoil Pad: Polyurethane
Stock and Forend finishing: Black Techno-polymer
Comb: Combtech
Trigger Pull (Kg) (± 10 %): 2.5

RAFFAELLO DE LUXE POWER BORE

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0429600	12	76 mm - 3"	365	3 (76); 4 (70)	61/24	Pistol with Progressive Comfort system	Blued glossy	Ventilated carbon fibre flat	Intermediate metallic sight and long red fibre-optic	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0429301		76 mm - 3"	365	3 (76); 4 (70)	65/26					
A0429401		76 mm - 3"	365	3 (76); 4 (70)	70/28					
A0429800		76 mm - 3"	365	3 (76); 4 (70)	76/30					
A0429000		76 mm - 3"	350 COMPACT	3 (76); 4 (70)	65/26					
A0429100		76 mm - 3"	350 COMPACT	3 (76); 4 (70)	70/28					

Weight (± 100g): 2950

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 3 Oil Walnut Wood

Comb: Soft Techno Polyurethane

Trigger Pull (Kg) (± 10 %): 2.5



RAFFAELLO POWER BORE

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0426900	12	76 mm - 3"	365	3 (76); 4 (70)	61/24	Pistol with Progressive Comfort system	Blued glossy	Ventilated carbon fibre flat	Intermediate metallic sight and long red fibre-optic	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0427000		76 mm - 3"	365	3 (76); 4 (70)	65/26					
A0427100		76 mm - 3"	365	3 (76); 4 (70)	70/28					
A0427200		76 mm - 3"	365	3 (76); 4 (70)	76/30					
A0439700		76 mm - 3"	350 COMPACT	3 (76); 4 (70)	65/26					
A0439800		76 mm - 3"	350 COMPACT	3 (76); 4 (70)	70/28					

Weight (± 100g): 2950

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 3 Oil Walnut Wood

Comb: Soft Techno Polyurethane

Trigger Pull (Kg) (± 10 %): 2.5

RAFFAELLO BLACK

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0428300	12	76 mm - 3"	365	3 (76); 4 (70)	61/24	Pistol with Progressive Comfort system	Blued glossy	Ventilated steel flat	Long red fibre optic	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0428000		76 mm - 3"	365	3 (76); 4 (70)	65/26					
A0428100		76 mm - 3"	365	3 (76); 4 (70)	70/28					
A0428500		76 mm - 3"	365	3 (76); 4 (70)	76/30					
A0439900		76 mm - 3"	350 COMPACT	3 (76); 4 (70)	65/26					
A0440000		76 mm - 3"	350 COMPACT	3 (76); 4 (70)	70/28					

Weight (± 100g): 3100

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 2 Oil Walnut Wood

Comb: Soft Techno Polyurethane

Trigger Pull (Kg) (± 10 %): 2.5



RAFFAELLO ETHOS BLACK

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0433600	12	76 mm - 3"	365	3 (76); 4 (70)	65/26	Pistol with Progressive Comfort system	Blued glossy	Ventilated carbon fibre flat	Long red fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0433700		76 mm - 3"	365	3 (76); 4 (70)	70/28					
NEW A0576300	28	76 mm - 3"	365	2 (70/76)	65/26		Blued glossy ported	Ventilated carbon fibre step	Intermediate metallic sight and short fluorescent red	3 INTERNAL 70 mm M (***), IC (****); CYL (*****)
NEW A0542200		76 mm - 3"	365	2 (70/76)	70/28					

Weight (± 100g): 12 ga 3100 / 28 ga 2475

Recoil Pad: Polyurethane

Stock and Forend finishing: 12 ga Grade 2 Vernish Walnut Wood / 28 ga Walnut Wood with Wood Fx

Comb: Soft Techno Polyurethane

Trigger Pull (Kg) (± 10 %): 2.5



RAFFAELLO ETHOS SILVER

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0457200	20	76 mm - 3"	365	3 (76); 4 (70)	61/24	Pistol with Progressive Confort system	Blued glossy	Ventilated carbon fibre flat	Intermediate metallic sight and long red fibre-optic	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (****)
A0457300		76 mm - 3"	365	3 (76); 4 (70)	65/26					
A0457400		76 mm - 3"	365	3 (76); 4 (70)	70/28					
A0485600	28	76 mm - 3"	365	2 (70/76)	65/26				Intermediate metallic sight and long fluorescent red	

Weight (± 100g): 20 ga 2600 / 28 ga 2460

Recoil Pad: Polyurethane

Stock and Forend finishing: Walnut Wood with Wood Fx

Comb: Soft Techno Polyurethane

Trigger Pull (Kg) (± 10 %): 2.5



EXECUTIVE

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0040902	12	76 mm - 3"	360	3 (76); 4 (70)	70/28 	Pistol	Blued glossy	Ventilated steel flat	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (****); CYL (****)
A0399800		76 mm - 3"	360	3 (76); 4 (70)	76/30 					

Weight (± 100g): 3600
 Recoil Pad: Oil Walnut Wood
 Stock and Forend finishing: Grade 5 Exhibition Walnut Wood
 Comb: -
 Trigger Pull (Kg) (± 10 %): 2.5



EXECUTIVE

SEMI-AUTOMATIC SHOTGUN



RAFFAELLO SLUG

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0249600	20	76 mm - 3"	363	3 (76); 4 (70)	55/22 Slug	Montecarlo	Blued matt	Carbon fibre short rib	Adj front sight red fibre-optic	-

Weight (± 100g): 2700
 Recoil Pad: Gel
 Stock and Forend finishing: Grade 3 Oil Walnut Wood Super
 Comb: -
 Trigger Pull (Kg) (± 10 %): 2.5

RAFFAELLO ETHOS CORDOBA **NEW**

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0559800	12	76 mm - 3"	365	3 (76); 4 (70)	70/28	Pistol with Comfortech 3 system	BE.S.T. matt ported	Ventilated carbon fibre step	Intermediate metallic sight and short fluorescent red	5 KND 70 + 20 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0559900		76 mm - 3"	365	3 (76); 4 (70)	76/30					
A0560400	20	76 mm - 3"	365	3 (76); 4 (70)	70/28					
A0560600	28	76 mm - 3"	365	2 (70/76)	70/28					

Weight (± 100g): 12 ga 2950 / 20 ga 2650 / 28 ga 2500

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Combtech

Trigger Pull (Kg) (± 10 %): 2.5



Comfort  Tech³



BE.S.T.



AirTouch..

Benelli

RAFFAELLO CRIOCOMFORT LEFT HAND

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0387901 LH	12	76 mm - 3"	365	3 (76); 4 (70)	65/26 ◆	Pistol with Comfortech system	Blued glossy	Ventilated carbon fibre flat	Intermediate metallic sight and long red fibre-optic	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0388001 LH		76 mm - 3"	365	3 (76); 4 (70)	70/28 ◆					
A0388101 LH		76 mm - 3"	365	3 (76); 4 (70)	76/30 ◆					

Weight (± 100g): 3000

Recoil Pad: Gel

Stock and Forend finishing: Black Techno-polymer

Comb: Gel

Trigger Pull (Kg) (± 10 %): 2.5

RAFFAELLO ETHOS SPORT

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0515701	12	76 mm - 3"	365	3 (76); 4 (70)	70/28	Pistol with Progressive Comfort system	Blued glossy ported	Ventilated carbon fibre step	Intermediate metallic sight and short fluorescent red	5 KND 70 + 20 mm F (*); IM (**); M (***); IC (****); CYL (****)
A0500400		76 mm - 3"	365	3 (76); 4 (70)	70/28					
A0515801		76 mm - 3"	365	3 (76); 4 (70)	76/30					
A0500500		76 mm - 3"	365	3 (76); 4 (70)	76/30					
A0515901	20	76 mm - 3"	365	3 (76); 4 (70)	70/28					
A0500600		76 mm - 3"	365	3 (76); 4 (70)	70/28					
A0516001	28	76 mm - 3"	365	2 (70/76)	70/28					
A0500900		76 mm - 3"	350 COMPACT	2 (70/76)	70/28					

Weight (± 100g): 12 ga 2950 / 20 ga 2600 / 28 ga 2475

Recoil Pad: Polyurethane

Stock and Forend finishing: Walnut Wood with Wood Fx

Comb: Soft Techno Polyurethane

Trigger Pull (Kg) (± 10 %): 2.5



RAFFAELLO SPORT II

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0146902	12	76 mm - 3"	360	3 (76); 4 (70)	70/28	Pistol	Blued glossy	Ventilated steel step	Intermediate metallic sight and short fluorescent red	5 KND 50 + 20 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0147002		76 mm - 3"	360	3 (76); 4 (70)	76/30					
A0227800	20	76 mm - 3"	360	3 (76); 4 (70)	70/28					

Weight (± 100g): 12 ga 3200 / 20 ga 2600

Recoil Pad: Gel

Stock and Forend finishing: Grade 2 Vernish Walnut Wood

Comb: -

Trigger Pull (Kg) (± 10 %): 2.5

RAFFAELLO ETHOS SUPER SPORT **NEW**

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0559600	12	76 mm - 3"	365	3 (76); 4 (70)	70/28	Pistol with Comfortech 3 system	Blued glossy ported	Ventilated carbon fibre step	Intermediate metallic sight and short fluorescent red	2 KND 70 + 20mm M (**); IC (****) + 3 INTERNAL 70mm F (*); IM (**); CYL (****)
A0559700		76 mm - 3"	365	3 (76); 4 (70)	76/30					
A0560000	20	76 mm - 3"	365	3 (76); 4 (70)	70/28					
A0560500	28	76 mm - 3"	365	2 (70/76)	70/28					

Weight (± 100g): 12 ga 2950 / 20 ga 2600 / 28 ga 2500

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo Carbon Fibre Techno-polymer

Comb: Combtech

Trigger Pull (Kg) (± 10 %): 2.5



Comfort  Tech³



CRIO
SYSTEM

AirTouch™

WINDOW
SYSTEM

Benelli

RAFFAELLO SUPERSPORT WORLD CUP

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0526600	12	76 mm - 3"	365	3 (76); 4 (70)	76/30 ♦	Pistol with Comfortech system	Blued glossy	Ventilated carbon fibre step	Intermediate metallic sight and short fluorescent red	5 KND 50 + 20 mm F (*); IM (**); M (***); IC (****); CYL (****)

Weight (± 100g): 3260

Recoil Pad: Gel

Stock and Forend finishing: Camo Carbon fibre Techno-polymer

Comb: Gel

Trigger Pull (Kg) (± 10 %): 2.5

RAFFAELLO SUPER SPORT

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0174901	12	76 mm - 3"	365	3 (76); 4 (70)	70/28	Pistol with Comfortech system	Blued glossy ported	Ventilated steel step	Intermediate metallic sight and short fluorescent red	2 KND 70 + 20mm M (***) ; IC (****) + 3 INTERNAL 70mm F (*) ; IM (**); CYL (****)
A0175001		76 mm - 3"	365	3 (76); 4 (70)	76/30					
A0228300	20	76 mm - 3"	365	3 (76); 4 (70)	70/28					

Weight (± 100g): 12 ga 3250 / 20 ga 2650

Recoil Pad: Gel

Stock and Forend finishing: Camo Carbon fibre Techno-polymere

Comb: Gel

Trigger Pull (Kg) (± 10 %): 2.5



BLACK EAGLE SUPER BLACK EAGLE 3

SEMIAUTOMATIC SHOTGUNS

28 BLACK EAGLE

31	Black Eagle	12, 20 GA
32	Black Eagle Camo MAX 5	12 GA
33	Black Eagle Camo Optifade Marsh	12 GA

3.5" SUPER MAGNUM CHAMBER SHOTGUNS

28 SUPER BLACK EAGLE 3

34	SBE 3 BE.S.T	12 GA
35	SBE 3 Wood	12 GA
36	SBE 3 Black	12 GA

37	SBE 3 Camo MAX 5	12 GA
38	SBE 3 Camo Cerakote Tungsten	12 GA
39	SBE 3 Mossy Oak Bottomland	12 GA
40	SBE 3 Optifade Timber	12 GA
41	SBE 3 Optifade Marsh	12 GA

BLACK EAGLE

SEMI-AUTOMATIC SHOTGUN



NEW **BLACK EAGLE**
SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0569200	12	76 mm - 3"	365	3 (70/76)	65/26 ◆	Pistol with Comfortech 3 system	Blued matt	Ventilated steel step	Long red fibre-optic	2 KND 70 + 20mm M (**); IC (****) + 3 INTERNAL 70mm F (*); IM (**); CYL (****)
A0569300		76 mm - 3"	365	3 (70/76)	70/28 ◆					
A0569400		76 mm - 3"	365	3 (70/76)	76/30 ◆					
A0571800	20	76 mm - 3"	365	3 (70/76)	65/26 ◆					
A0571900		76 mm - 3"	365	3 (70/76)	70/28 ◆					

Weight (± 100g): 12 ga 3100 / 20 ga 2650

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Combtech

Trigger Pull (Kg) (± 10 %): 2.5



Comfort  Tech³



CRIO SYSTEM

AirTouch™

Benelli

BLACK EAGLE CAMO MAX 5 NEW

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0569600	12	76 mm - 3"	365	3 (70/76)	70/28 	Pistol with Comfortech 3 system	Camo Max 5	Ventilated steel step	Long red fibre-optic	2 KND 70 + 20mm M (**); IC (****) + 3 INTERNAL 70mm F (*); IM (**); CYL (****)
A0569700		76 mm - 3"	365	3 (70/76)	76/30 					

Weight (± 100g): 3100
 Recoil Pad: Polyurethane
 Stock and Forend finishing: Camo Max 5 Techno-polymer
 Comb: Combtech
 Trigger Pull (Kg) (± 10 %): 2.5

BLACK EAGLE CAMO OPTIFADE MARSH **NEW**

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0569900	12	76 mm - 3"	365	3 (70/76)	70/28 ◆	Pistol with Comfortech 3 system	Camo Optifade Marsh	Ventilated steel step	Long red fibre-optic	2 KND 70 + 20mm M (**); IC (****) + 3 INTERNAL 70mm F (*); IM (**); CYL (****)
A0570000		76 mm - 3"	365	3 (70/76)	76/30 ◆					

Weight (± 100g): 3100

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo Optifade Marsh Techno-polymer

Comb: Combtech

Trigger Pull (Kg) (± 10 %): 2.5



SUPER BLACK EAGLE 3 BE.S.T. NEW

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0574900	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	65/26	Pistol with Comfortech 3 system	BE.S.T. matt	Ventilated carbon fibre step	Long red fibre-optic	2 KND BE.S.T. 70 + 20mm M (**); IC (****)+ 3 INTERNAL 70mm F (*); IM (**); CYL (****)
A0575000		89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28					
A0575100		89 mm - 3.5"	365	2 (89); 3 (70/76)	76/30					

Weight (± 100g): 3200
Recoil Pad: Polyurethane
Stock and Forend finishing: Black Techno-polymer
Comb: Combtech
Trigger Pull (Kg) (± 10 %): 2.5
BE.S.T. Components (matt): upper receiver, bolt, bolt handle, safety botton, barrel, knurled chokes



SUPER BLACK EAGLE 3 WOOD

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0525800	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28 ◆	Pistol with progressive Comfort System	Blued glossy	Ventilated steel step	Long fluorescent red	2 KND 70 + 20mm M (**); IC (****) + 3 INTERNAL 70mm F (*); IM (**); CYL (****)
A0494400		89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28					

Weight (± 100g): 3300

Recoil Pad: Polyurethane

Stock and Forend finishing: Wood Fx Walnut Wood

Comb: Soft Techno Polyurethane

Trigger Pull (Kg) (± 10 %): 2.5



SUPER BLACK EAGLE 3 BLACK

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0507000	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	65/26 ◆	Pistol with Comfortech 3 system	Blued matt	Ventilated steel step	Long fluorescent red	2 KND 70 + 20mm M (***) ; IC (****) + 3 INTERNAL 70mm F (*) ; IM (**); CYL (****)
A0470700		89 mm - 3.5"	365	2 (89); 3 (70/76)	65/26					
A0505300		89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28 ◆					
A0470800		89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28					
A0495500 LH		89 mm - 3.5"	365	2 (89); 3 (70/76)	65/26					
A0525500 LH		89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28 ◆					
A0495600 LH		89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28					

Weight (± 100g): 3200

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Combtech

Trigger Pull (Kg) (± 10 %): 2.5

SUPER BLACK EAGLE 3 CAMO MAX 5

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0507100	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	65/26 ◆	Pistol with Comfortech 3 system	Camo Max 5	Ventilated steel step	Long fluorescent red	2 KND 70 + 20mm M (**); IC (****) + 3 INTERNAL 70mm F (*); IM (**); CYL (****)
A0470900		89 mm - 3.5"	365	2 (89); 3 (70/76)	65/26					
A0505400		89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28 ◆					
A0471000		89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28					
A0525600 LH		89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28 ◆					
A0495700 LH		89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28					

Weight (± 100g): 3200

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo Realtree Max 5 Techno-polymer

Comb: Combtech

Trigger Pull (Kg) (± 10 %): 2.5



Comfort  Tech³



CRIO SYSTEM

AirTouch™

Benelli

SUPER BLACK EAGLE 3 CAMO CERAKOTE TUNGSTEN

NEW

SEMAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/”)	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0511100	12	89 mm - 3.5”	365	2 (89); 3 (70/76)	70/28	Pistol with Comfortech 3 system	Cerakote Tungsten	Ventilated steel step	Long fluorescent red	5 KND 70 + 20 mm F (*); IM (**); M (***) IC (****); CYL (*****)

Weight (± 100g): 3200

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo Optifade Timber Techno-polymer

Comb: Combtech

Trigger Pull (Kg) (± 10 %): 2.5

SUPER BLACK EAGLE 3 MOSSY OAK BOTTOMLAND **NEW**

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0483400	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	65/26	Pistol with Comfortech 3 system	Camo Mossy Oak Bottomland	Ventilated steel step	Long fluorescent red	2 KND 70 + 20mm M (**); IC (****); + 3 INTERNAL 70 mm F (*); IM (**); CYL (****)
A0483500		89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28					

Weight (± 100g): 3200

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo Mossy Oak Bottomland Techno-polymer

Comb: Combtech

Trigger Pull (Kg) (± 10 %): 2.5



SUPER BLACK EAGLE 3 OPTIFADE TIMBER NEW

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0483200	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	65/26	Pistol with Comfortech 3 system	Camo Optifade Timber	Ventilated steel step	Long fluorescent red	2 KND 70 + 20mm M (**); IC (****); + 3 INTERNAL 70 mm F (*); IM (**); CYL (****)
A0483300		89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28					

Weight (± 100g): 3200

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo Optifade Timber Techno-polymer

Comb: Combtech

Trigger Pull (Kg) (± 10 %): 2.5

SUPER BLACK EAGLE 3 OPTIFADE MARSH **NEW**

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0496100	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28	Pistol with Comfortech 3 system	Camo Optifade Marsh	Ventilated steel step	Long fluorescent red	2 KND 70 + 20mm M (**); IC (****); + 3 INTERNAL 70 mm F (*); IM (**); CYL (****)

Weight (± 100g): 3200

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo Optifade Marsh Techno-polymer

Comb: Combtech

Trigger Pull (Kg) (± 10 %): 2.5



VINCI

SEMIAUTOMATIC SHOTGUNS

42 VINCI

44 Vinci Black 12 GA

45 Vinci Camo MAX 5 12 GA

46 Vinci Supersport 12 GA

47 Vinci Tactical 12 GA

VINCI BLACK

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0401100	12	76 mm - 3"	365	3 (70/76)	61/24	Pistol with Comfortech Plus system	Blued glossy	Ventilated steel flat	Long red fibre-optic	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (****)
A0383100		76 mm - 3"	365	3 (70/76)	65/26					
A0383200		76 mm - 3"	365	3 (70/76)	70/28					
A0388800		76 mm - 3"	365	3 (70/76)	76/30					
A0413200		76 mm - 3"	365	3 (76); 4 (70)	61/24 Slug			Carbon fibre short	Adj front sight and green fibre-optic	-

Weight (± 100g): 3150

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Soft Techno Polyurethane

Trigger Pull (Kg) (± 10 %): 2.5

VINCI CAMO MAX 5

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0375701	12	76 mm - 3"	365	3 (70/76)	65/26	Pistol with Comfortech Plus system	Camo Max 5	Ventilated steel step	Intermediate metallic sight and short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (****); CYL (*****)
A0375501		76 mm - 3"	365	3 (70/76)	70/28					

Weight (± 100g): 3150

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo Max 5 Techno-polymer

Comb: Soft Techno Polyurethane

Trigger Pull (Kg) (± 10 %): 2.5



VINCI SUPERSPORT

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/”)	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0402300	12	76 mm - 3"	365	3 (70/76)	70/28	Pistol with Comfortech Plus system	Blued matt	Ventilated steel step	Intermediate metallic sight and short fluorescent red	5 KND 70 + 20 mm F (*); IM (**); M (**); IC (****); CYL (****)
A0402400		76 mm - 3"	365	3 (70/76)	76/30					

Weight (± 100g): 3350

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo Carbon fibre Techno-polymer

Comb: Soft Techno Polyurethane

Trigger Pull (Kg) (± 10 %): 2.5

VINCI TACTICAL

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0413300	12	76 mm - 3"	365	3 (70/76)	47/18.5	Pistol with Comfortech Plus system	Blued matt	-	Adj ghost ring sight and fixed front sight	3 INTERNAL 70 mm F (*); M (***); IC (****)
A0413800		76 mm - 3"	365	3 (70/76)	47/18.5	Pistol Grip				

Weight (± 100g): 3000

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno polymer

Comb: Soft Techno Polyurethane

Trigger Pull (Kg) (± 10 %): 2.5



SUPER VINCI

SEMIAUTOMATIC SHOTGUNS

3.5" SUPER MAGNUM CHAMBER SHOTGUNS

49 Super Vinci Black 12 GA

50 Super Vinci Camo MAX 5 12 GA

51 Super Vinci Optifade
Marsh 12 GA

SUPER VINCI BLACK

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0389000	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	65/26	Pistol with Comfortech Plus system	Blued matt	Ventilated steel step	Intermediate metallic sight and short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0389100		89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28					
A0408300		89 mm - 3.5"	365	2 (89); 3 (70/76)	76/30					

Weight (± 100g): 3150

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Soft Techno Polyurethane

Trigger Pull (Kg) (± 10 %): 2.5



SUPER VINCI CAMO MAX 5

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0391301	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	65/26	Pistol with Comfortech plus system	Camo Max 5	Ventilated steel step	Intermediate metallic sight and short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (****)
A0391401		89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28					
A0408401		89 mm - 3.5"	365	2 (89); 3 (70/76)	76/30					

Weight (± 100g): 3150
Recoil Pad: Polyurethane
Stock and Forend finishing: Camo Max 5 Techno-polymer
Comb: Soft Techno Polyurethane
Trigger Pull (Kg) (± 10 %): 2.5

SUPER VINCI OPTIFADE MARSH

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/IN)	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0419800	12	89 mm - 3.5"	365	2 (89); 3 (70/76)	70/28	Pistol with Comfortech Plus system	Camo Optifade Marsh	Ventilated steel step	Intermediate metallic sight and short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
NEW A0415200		89 mm - 3.5"	360	2 (89); 3 (70/76)	75/30					

Weight (± 100g): 3150

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo Optifade Marsh Techno-polymer

Comb: Soft Techno Polyurethane

Trigger Pull (Kg) (± 10 %): 2.5



M2

SEMIAUTOMATIC SHOTGUNS

53	M2 Wood	12 GA	58	M2 Cerakote Tungsten Black	12 GA
54	M2 Comfortech	12 GA	59	M2 Cerakote Tungsten Camo	12 GA
55	M2 Comfortech	20 GA	60	M2 Practical	12 GA
56	M2 Comfortech Left Hand	12, 20 GA	61	M2 Tactical	12 GA
57	M2 Comfortech Camo MAX 5	12, 20 GA			

M2 WOOD

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0163600	12	76 mm - 3"	365	3 (70/76)	65/26	Pistol	Blued matt	Ventilated steel step	Short fluoerescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0163500		76 mm - 3"	365	3 (70/76)	70/28					

Weight (± 100g): 3350

Recoil Pad: Double ventilated rubber

Stock and Forend finishing: Grade 1 Vernish Walnut Wood

Comb: -

Trigger Pull (Kg) (± 10 %): 2.5



M2 COMFORTECH

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0209100	12	76 mm - 3"	365	6 (76); 7 (70)	54/21	Pistol with Comfortech system	Blued matt	Ventilated steel step	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0209200		76 mm - 3"	365	6 (76); 7 (70)	61/24					
A0206500		76 mm - 3"	365	6 (76); 7 (70)	65/26					
A0206600		76 mm - 3"	365	6 (76); 7 (70)	70/28					
A0164000		76 mm - 3"	365	3 (70/76)	54/21					
A0206300		76 mm - 3"	365	3 (70/76)	54/21					
A0163900		76 mm - 3"	365	3 (70/76)	61/24					
A0205000		76 mm - 3"	365	3 (70/76)	61/24					
A0163800		76 mm - 3"	365	3 (70/76)	65/26					
A0204400		76 mm - 3"	365	3 (70/76)	65/26					
A0163700		76 mm - 3"	365	3 (70/76)	70/28					
A0204600		76 mm - 3"	365	3 (70/76)	70/28					
A0164100		76 mm - 3"	365	3 (70/76)	61/24 Rifled			-	Adj rear sight and fixed front sight	-
A0426300		76 mm - 3"	338 COMPACT	3 (70/76)	65/26			Ventilated steel step	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)

Weight (± 100g): 3200

Recoil Pad: Gel

Stock and Forend finishing: Black Techno-polymer

Comb: Gel

Trigger Pull (Kg) (± 10 %): 2.5

M2 COMFORTECH

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0229202	20	76 mm - 3"	365	3 (70/76)	61/24	Pistol with Comfortech system	Blued matt	Ventilated steel step	Intermediate metallic sight and short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (****)
A0228701		76 mm - 3"	365	3 (70/76)	61/24					
A0229102		76 mm - 3"	365	3 (70/76)	65/26					
A0228601		76 mm - 3"	365	3 (70/76)	65/26					
A0433801		76 mm - 3"	365	3 (70/76)	70/28					
A0229501		76 mm - 3"	365	3 (70/76)	61/24 Rifled			-	Adj rear sight and fixed front sight	-
A0423701		76 mm - 3"	338 COMPACT	3 (70/76)	61/24	Pistol with Comfortech system		Ventilated steel step	Intermediate metallic sight and short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (****)

Weight (± 100g): 2650

Recoil Pad: Gel

Stock and Forend finishing: Black Techno-polymer

Comb: Gel

Trigger Pull (Kg) (± 10 %): 2.5



Comfortech

AirTouch

Benelli

M2 COMFORTECH LEFT HAND

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO	
A0164400 LH	12	76 mm - 3"	365	3 (70/76)	61/24	Pistol with Comfortech system	Blued matt	Ventilated steel step	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)	
A0207800 LH		76 mm - 3"	365	3 (70/76)	61/24 						
A0164300 LH		76 mm - 3"	365	3 (70/76)	65/26						
A0207900 LH		76 mm - 3"	365	3 (70/76)	65/26 						
A0164200 LH		76 mm - 3"	365	3 (70/76)	70/28						
A0208000 LH	20	76 mm - 3"	365	3 (70/76)	70/28 				Intermediate metallic sight and short fluorescent red		
A0425301 LH		76 mm - 3"	365	3 (70/76)	61/24						
A0425401 LH		76 mm - 3"	365	3 (70/76)	65/26						
A0425501 LH		76 mm - 3"	365	3 (70/76)	70/28						

Weight (± 100g): 12 ga 3200 / 20 ga 2650

Recoil Pad: Gel

Stock and Forend finishing: Black Techno-polymer

Comb: Gel

Trigger Pull (Kg) (± 10 %): 2.5

M2 COMFORTECH CAMO MAX 5

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO	
A0166502	12	76 mm - 3"	365	3 (70/76)	65/26	Pistol with Comfortech system	Camo Max 5	Ventilated steel step	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)	
A0215201		76 mm - 3"	365	3 (70/76)	65/26						◆
A0166602		76 mm - 3"	365	3 (70/76)	70/28						
A0215302		76 mm - 3"	365	3 (70/76)	70/28						◆
A0164902 LH		76 mm - 3"	365	3 (70/76)	70/28						
A0215601 LH		76 mm - 3"	365	3 (70/76)	70/28						◆
A0417002	20	76 mm - 3"	365	3 (70/76)	65/26				Intermediate metallic sight and short fluorescent red		
A0433900		76 mm - 3"	365	3 (70/76)	70/28						

Weight (± 100g): 12 ga 3200 / 20 ga 2650

Recoil Pad: Gel

Stock and Forend finishing: Camo Max 5 Techno-polymer

Comb: Gel

Trigger Pull (Kg) (± 10 %): 2.5



Comfortech

AirTouch

Benelli

M2 CERAKOTE TUNGSTEN BLACK NEW

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0532500	12	76 mm - 3"	365	3 (70/76)	70/28	Pistol with Comfortech system	Cerakote Tungsten	Ventilated steel step	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (****); CYL (****)

Weight (± 100g): 3200

Recoil Pad: Gel

Stock and Forend finishing: Black Techno-polymer

Comb: Gel

Trigger Pull (Kg) (± 10 %): 2.5

M2 CERAKOTE TUNGSTEN CAMO **NEW**

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0513600	12	76 mm - 3"	365	3 (70/76)	70/28	Pistol with Comfortech system	Cerakote Tungsten	Ventilated steel step	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)

Weight (± 100g): 3200

Recoil Pad: Gel

Stock and Forend finishing: Camo Optifade Timber Techno-polymer

Comb: Gel

Trigger Pull (Kg) (± 10 %): 2.5



Comfortech

CRIO SYSTEM

AirTouch

Benelli

M2 PRACTICAL

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0207500	12	76 mm - 3"	365	8 (76); 9 (70)	65/26	Pistol with Comfortech system	Blued matt	-	Adj rear sight and fixed front sight	3 INTERNAL 70 mm F (*); M (**); IC (***)

Weight (± 100g): 3200

Recoil Pad: Gel

Stock and Forend finishing: Black Techno-polymer

Comb: Gel

Trigger Pull (Kg) (± 10 %): 2.5

M2 TACTICAL

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0416700	12	76 mm - 3"	365	6 (70/76)	47/18.5	Pistol with Comfortech system	Blued matt	-	Adj rear sight and fixed front sight	3 INTERNAL 70 mm F (*); M (**); IC (****)
A0417900		76 mm - 3"	365	6 (70/76)	47/18.5	Pistol grip				
A0217500		76 mm - 3"	360	6 (70/76)	50/20 Slug	Pistol syntetic				-
A0555500		76 mm - 3"	365	6 (70/76)	47/18.5	Pistol grip				3 INTERNAL 70 mm F (*); M (**); IC (****)
A0555600		76 mm - 3"	365	6 (70/76)	47/18.5	Pistol with Comfortech system				
A0418000		76 mm - 3"	365	6 (70/76)	47/18.5					

Weight (± 100g): 2950

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Comb: -

Trigger Pull (Kg) (± 10 %): 2.5



MONTEFELTRO

SEMIAUTOMATIC SHOTGUNS

64 Mygra	20 GA
65 Colombo	12 GA
66 Beccaccia Supreme	12, 20 GA
67 Montefeltro Beccaccia	20 GA

68 Ultra Light	12, 20 GA
69 Centro	12 GA
70 Montefeltro Silver	12, 20 GA
71 Duca di Montefeltro	12, 20 GA

72 Extra Light	12 GA
73 Montefeltro	12 GA
74 Montefeltro	20 GA
75 Comfort	12, 20 GA

MYGRA

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0536600	20	70 mm - 2 ¾"	360	4 (70)	65/26 ◆	Pistol	Blued matt	Ventilated steel flat	Intermediate metallic and short fluorescent red	1 KND WIDE SHOT 70 + 20 mm + 2 INTERNAL 70 mm M (**); CYL (****)
A0536700		70 mm - 2 ¾"	360	4 (70)	70/28 ◆					1 KND LONG SHOT 70 + 20 mm + 2 INTERNAL 70 mm M (**); CYL (****)

Weight (± 100g): 2650

Recoil Pad: Polyurethane

Stock and Forend finishing: Walnut Wood with Wood Fx

Comb: -

Trigger Pull (Kg) (± 10 %): 2.5

COLOMBO

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0459400	12	76 mm - 3"	365	3 (76); 4 (70)	65/26	Pistol with Progressive Comfort system	Blued matt	Ventilated steel flat	Long green fibre-optic	1 KND WIDE SHOT 70 + 20 mm + 3 INTERNAL 70 mm IM (**); M (**); CYL (****)
A0459500		76 mm - 3"	365	3 (76); 4 (70)	70/28					1 KND LONG SHOT 70 + 20 mm + 3 INTERNAL 70 mm IM (**); M (**); CYL (****)

Weight (± 100g): 3100

Recoil Pad: Polyurethane

Stock and Forend finishing: Walnut Wood with Wood Fx

Comb: -

Trigger Pull (Kg) (± 10 %): 2.5



BECCACCIA SUPREME

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0416800	12	76 mm - 3"	350	2 (70/76)	61/24 ◆	Pistol	Blued glossy	Ventilated carbon fibre flat	Intermediate metallic sight and long fluorescent yellow	1 KND 70 + 20 mm AMPLIATOR + 3 INTERNAL 70 mm M (***); IC (****); CYL (****).
A0416900		76 mm - 3"	350	2 (70/76)	65/26 ◆					
A0501500	20	76 mm - 3"	350	2 (70/76)	61/24 ◆					

Weight (± 100g): 12 ga 2750 / 20 ga 2500

Recoil Pad: Polyurethane

Stock and Forend finishing: 12 ga Walnut Wood with Elegance System / 20 ga Walnut Wood with Wood FX

Comb: -

Trigger Pull (Kg) (± 10 %): 2.5

MONTEFELTRO BECCACCIA

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0235100	20	76 mm - 3"	360	2 (70/76)	61/24 ◆	Pistol	Blued glossy	Ventilated carbon fibre flat	Intermediate metallic sight and long red fibre-optic	3 INTERNAL 70 mm M (**); IC (****); CYL (****)

Weight (± 100g): 2500

Recoil Pad: Polyurethane

Stock and Forend finishing: Walnut Wood with Elegance System

Comb: -

Trigger Pull (Kg) (± 10 %): 2.5



eleganceSystem

Benelli

ULTRA LIGHT

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0218001	12	76 mm - 3"	360	2 (76); 2 (70)	61/24	Pistol	Blued glossy	Ventilated carbon fibre step	Intermediate metallic sight and short fluorescent red	3 INTERNAL 70 mm F (*); M (***); IC (****)
A0241600		76 mm - 3"	360	2 (76); 2 (70)	65/26					
A0243300	20	76 mm - 3"	360	2 (76); 2 (70)	61/24					

Weight (± 100g): 12 ga 2800 / 20 ga 2450

Recoil Pad: Gel

Stock and Forend finishing: Walnut Wood with Elegance System

Comb: -

Trigger Pull (Kg) (± 10 %): 2.5

CENTRO

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0173700	12	76 mm - 3"	360	3 (76); 4 (70)	65/26 ◆	Pistol	Blued glossy	Ventilated carbon fibre flat	Intermediate metallic sight and long red fibre-optic	2 INTERNAL 70 mm M (**); CYL (****)
A0173800		76 mm - 3"	360	3 (76); 4 (70)	70/28 ◆					

Weight (± 100g): 3100

Recoil Pad: Solid rubber

Stock and Forend finishing: Grade 3 Oil Walnut Wood

Comb: -

Trigger Pull (Kg) (± 10 %): 2.5



MONTEFELTRO SILVER

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0230000	12	76 mm - 3"	360	3 (76); 4 (70)	70/28	Pistol	Blued glossy	Ventilated steel flat	Intermediate metallic sight and short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (****); CYL (*****)
A0230101	20	76 mm - 3"	360	3 (76); 4 (70)	65/26					

Weight (± 100g): 12 ga 3150 / 20 ga 2700

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 3 Oil Walnut Wood

Comb: -

Trigger Pull (Kg) (± 10 %): 2.5

DUCA DI MONTEFELTRO

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0181400	12	76 mm - 3"	360	3 (76); 4 (70)	65/26	Pistol	Blued glossy	Ventilated steel flat	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (****); CYL (****)
A0181500		76 mm - 3"	360	3 (76); 4 (70)	70/28					
A0182500		76 mm - 3"	360	3 (76); 4 (70)	76/30					
A0181700		76 mm - 3"	360	3 (76); 4 (70)	55/22 Slug			-	Adj rear sight and fixed front sight	-
A0182600		76 mm - 3"	360	3 (76); 4 (70)	61/24 Slug			-		
A0180200 LH		76 mm - 3"	365	3 (76); 4 (70)	65/26			Ventilated steel flat	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (****); CYL (****)
A0180000 LH		76 mm - 3"	365	3 (76); 4 (70)	70/28					
A0200200	20	76 mm - 3"	360	3 (76); 4 (70)	61/24				Intermediate metallic sight and short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (****); CYL (****)
A0200100		76 mm - 3"	360	3 (76); 4 (70)	65/26					
A0248600		76 mm - 3"	360	3 (76); 4 (70)	70/28					

Weight (± 100g): 12 ga 3150 / 20 ga 2750

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 3 Oil Walnut Wood

Comb: -

Trigger Pull (Kg) (± 10 %): 2.5



EXTRA LIGHT

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0193500	12	76 mm - 3"	360	3 (76); 4 (70)	61/24 ♦	Pistol	Blued glossy	Ventilated steel flat	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (****)
A0192800		76 mm - 3"	360	3 (76); 4 (70)	65/26 ♦					
A0193300		76 mm - 3"	360	3 (76); 4 (70)	70/28 ♦					
A0193800		76 mm - 3"	360	3 (76); 4 (70)	76/30 ♦					
A0192500		70 mm - 2 ¾"	360	4 (70)	65/26					FIXED M (***)

Weight (± 100g): 2950

Recoil Pad: Solid rubber / Synthetic

Stock and Forend finishing: Grade 1 Vernish Walnut Wood

Comb: -

Trigger Pull (Kg) (± 10 %): 2.5

MONTEFELTRO

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO	
A0175400	12	76 mm - 3"	360	3 (76); 4 (70)	61/24 	Pistol	Blued glossy	Ventilated steel flat	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (****)	
A0176100		76 mm - 3"	360	3 (76); 4 (70)	65/26 						
A0176600		76 mm - 3"	360	3 (76); 4 (70)	70/28 						
A0177200		76 mm - 3"	365	3 (76); 4 (70)	76/30 						
A0175100		76 mm - 3"	360	3 (76); 4 (70)	50/20 Slug			-	Adj rear sight and fixed front sight	-	
A0176900		76 mm - 3"	360	3 (76); 4 (70)	55/22 Slug						
A0176800		76 mm - 3"	360	3 (76); 4 (70)	61/24 Slug						
A0175300		70 mm - 2 ¾"	360	4 (70)	61/24 			Ventilated steel flat		FIXED IM (**)	
A0175800		70 mm - 2 ¾"	360	4 (70)	65/26					FIXED M (***)	
A0472000		76 mm - 3"	360	3 (76); 4 (70)	76/30			Ventilated steel step	Short fluorescent red	3 KND 70 + 20 mm F (*); M(***); IC (****)	
A0179500 LH		76 mm - 3"	360	3 (76); 4 (70)	65/26 			Ventilated steel flat		5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (****)	
A0179400 LH		76 mm - 3"	360	3 (76); 4 (70)	70/28 						

Weight (± 100g): 3150

Recoil Pad: Solid rubber/ Synthetic

Stock and Forend finishing: Grade 1 Vernish Walnut Wood

Comb: -

Trigger Pull (Kg) (± 10 %): 2.5



MONTEFELTRO

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0199700	20	76 mm - 3"	360	3 (76); 4 (70)	61/24	Pistol	Blued glossy	Ventilated steel flat	Intermediate metallic sight and short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (**); IC (****); CYL (****)
A0199600		76 mm - 3"	360	3 (76); 4 (70)	65/26					
A0248400		76 mm - 3"	360	3 (76); 4 (70)	70/28					3 INTERNAL 70 mm F (*); M (**); IC (****)
A0416300		76 mm - 3"	313 COMPACT	3 (76); 4 (70)	61/24					
A0416400		76 mm - 3"	313 COMPACT	3 (76); 4 (70)	65/26					

Weight (± 100g): 2750
 Recoil Pad: Solid rubber
 Stock and Forend finishing: Grade 1 Vernish Walnut Wood
 Comb: -
 Trigger Pull (Kg) (± 10 %): 2.5



COMFORT

SEMIAUTOMATIC SHOTGUN



	CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
SPORT	A0209601	12	76 mm - 3"	365	3 (76); 4 (70)	61/24	Pistol with Comfortech System	Blued glossy	Ventilated steel flat	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
	A0210301		76 mm - 3"	365	3 (76); 4 (70)	65/26					
	A0210801		76 mm - 3"	365	3 (76); 4 (70)	70/28					
	A0211401		76 mm - 3"	365	3 (76); 4 (70)	76/30					
	A0209301		76 mm - 3"	365	3 (76); 4 (70)	50/20 Slug					
	A0211001		76 mm - 3"	365	3 (76); 4 (70)	61/24 Slug					
	A0449201	76 mm - 3"	365	2 (70/76)	70/28	Ventilated carbon fibre step			Intermediate metallic sight and short fluorescent red	3 KND 70 + 20 mm F (*); M(***); CYL (****)	
	A0423801	20	76 mm - 3"	365	3 (76); 4 (70)	61/24				Ventilated steel flat	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
	A0417201		76 mm - 3"	365	3 (76); 4 (70)	65/26					
	A0417301		76 mm - 3"	365	3 (76); 4 (70)	70/28					

Weight (± 100g): 12 ga 3000 / 20 ga 2650

Recoil Pad: Gel

Stock and Forend finishing: Black Techno-polymer

Comb: Gel

Trigger Pull (Kg) (± 10 %): 2.5



M3

SEMIAUTOMATIC SHOTGUNS

77 M3 Black	12 GA
78 M3 Tactical	12 GA
79 M3 Kromo	12 GA

M3 BLACK

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0007701	12	76 mm - 3"	360	6 (76); 7 (70)	65/26	Pistol	Blued matt	Ventilated steel step	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0007602		76 mm - 3"	360	6 (76); 7 (70)	50/20 Slug			-	Adj rear sight and fixed front sight	-
A0050001		76 mm - 3"	360	6 (76); 7 (70)	65/26	Pistol grip		Ventilated steel step	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)

Weight (± 100g): 3250

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Comb: -

Trigger Pull (Kg) (± 10 %): 2.5

M3 TACTICAL

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0138900	12	76 mm - 3"	360	6 (76); 7 (70)	50/20 Slug	Synthetic	Blued matt	-	Adj ghost ring sight, fixed front sight	-
A0418500		76 mm - 3"	355 Adj	6 (76); 7 (70)	50/20 Slug	Telescopic Pistol Grip				
A0378800		76 mm - 3"	355 Adj	4 (76); 5 (70)	36/14 Slug					
A0555400		76 mm - 3"	355 Adj	4 (76); 5 (70)	50/20 Slug					

Weight (± 100g): 3250

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Comb: -

Trigger Pull (Kg) (± 10 %): 2.5

M3 KROMO

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0088001	12	76 mm - 3"	360	6 (76); 7 (70)	65/26	Pistol	Blued black	Ventilated steel step	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (****)
A0045701		76 mm - 3"	360	6 (76); 7 (70)	50/20 Slug		Blued black Kromo	-	Adj rear sight and fixed front sight	-

Weight (± 100g): 3150

Recoil Pad: Solid rubber

Stock and Forend finishing: Techno-polymer

Comb: -

Trigger Pull (Kg) (± 10 %): 2.5

M4

SEMIAUTOMATIC SHOTGUNS

- | | | |
|----|---------------------------|-------|
| 81 | M4 Black | 12 GA |
| 82 | M4 Camo Cerakote Silver | 12 GA |
| 83 | M4 Camo Cerakote
Brown | 12 GA |

M4 BLACK

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES	
A0139400	12	76 mm - 3"	360	6 (76); 7 (70)	47/18.5	Pistol	Phosphate	-	Adj ghost ring sight, fixed front sight and picatinny rail	FIXED M (***)	
A0412500		76 mm - 3"	360	6 (76); 7 (70)	51/20						
A0137300		76 mm - 3"	360	6 (76); 7 (70)	47/18.5	Pistol grip					
A0413500		76 mm - 3"	360	6 (76); 7 (70)	51/20						
A0093601		76 mm - 3"	355 Adj	6 (76); 7 (70)	47/18.5	Telescopic Pistol Grip					
A0401000		76 mm - 3"	355 Adj	6 (76); 7 (70)	51/20						
A0440100		76 mm - 3"	355 Adj	6 (76); 7 (70)	47/18.5						FIXED M (***) + 1 Muzzle Breake
A0555200		76 mm - 3"	360	4 (76); 5 (70)	47/18.5	Pistol					FIXED M (***)
A0120800		76 mm - 3"	355 Adj	4 (76); 5 (70)	36/14	Telescopic Pistol Grip					

Weight (± 100g): 3800

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Comb: -

Trigger Pull (Kg) (± 10 %): 3.5

ARGO

M4 CAMO CERAKOTE SILVER

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0483800	12	76 mm - 3"	360	4 (76); 5 (70)	47/18.5	Pistol	Cerakote Silver	-	Adj ghost ring sight, fixed front sight and Picatinny rail	FIXED M (***)
A0482000		76 mm - 3"	360	4 (76); 5 (70)	47/18.5	Pistol grip				
A0555300		76 mm - 3"	355 Adj	4 (76); 5 (70)	47/18.5	Telescopic Pistol Grip				

Weight (± 100g): 3800

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Comb: -

Trigger Pull (Kg) (± 10 %): 3.5

M4 CAMO CERAKOTE BROWN

SEMIAUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0453600	12	76 mm - 3"	360	4 (76); 5 (70)	47/18.5	Pistol grip	Cerakote brown	-	Adj ghost ring sight, fixed front sight and picatinny rail	FIXED M (***)

Weight (± 100g): 3800

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Comb: -

Trigger Pull (Kg) (± 10 %): 3.5

ARGO

IPSC SHOOTING

IPSC SHOOTING

85 M2 SP	12 GA
87 M2 Speed	12 GA
89 Nova Speed	12 GA

M2 SP

SEMIAUTOMATIC SHOTGUN



	CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
NEW	A0548900	12	76 mm - 3"	365	9 (76); 10 (70)	61/24 ◇	Pistol with Comfortech system	Blued matt	Ventilated steel step	Collapsible rear sight and extra-long red fibre-optic	3 KND 50 + 20 mm F (*); M (**); IC (****)
	A0479900		76 mm - 3"	365	9 (76); 10 (70)	65/26 ◇					
	A0554900		76 mm - 3"	365	3 (70/76)	65/26 ◇					
	A0555000		76 mm - 3"	365	5 (70); 4 (76)	65/26 ◇					

Weight (± 100g): 3250

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Elastomer

Trigger Pull (Kg) (± 10 %): 2.5



M2 SPEED

SEMI-AUTOMATIC SHOTGUN



NEW M2 SPEED

SEMI-AUTOMATIC SHOTGUN



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/IN)	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0562300	12	76 mm - 3"	365	11 (76); 12 (70)	61/24 ◇	Pistol with Comfortech 3 system	Blued matt	Ventilated steel step	Collapsible rifle sight and extra-long 5 cm red fibre-optic	3 INTERNAL 70 mm IM (**); M (**); IC (****) + 1 KND Ampliator 70 + 20 mm + 1 KND Long Shot 70 + 20 mm
A0562400		76 mm - 3"	365	11 (76); 12 (70)	65/26 ◇					

Weight (± 100g): 3300

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Combtech

Trigger Pull (Kg) (± 10 %): 2.5

Bolt: BE.S.T.



Comfort  Tech³



BE.S.T.

AirTouch™

Benelli

NOVA SPEED

PUMP ACTION



NOVA SPEED **NEW**

PUMP ACTION



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0567700	12	76 mm - 3"	365	11 (76); 12 (70)	61/24 ◇	Pistol with Comfortech 3 system	Blued Matt	Ventilated steel step	Collapsible rifle sight and extra-long 5 cm red fibre-optic	3 INTERNAL 70 mm IM (**); M (**); IC (****) + 1 KND Ampliator 70 + 20 mm + 1 KND Long Shot 70 + 20 mm
A0567800		76 mm - 3"	365	11 (76); 12 (70)	65/26 ◇					

Weight (± 100g): 3300

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Combtech

Trigger Pull (Kg) (± 10 %): 2.5

Comfort  Tech³



AirTouch™

Benelli

828 U

OVER & UNDER

91 828 U Silver

12 GA

92 828 U Silver

20 GA

93 828 U Black

12 GA

94 828 U Beccaccia

12, 20
GA

95 828 U Sport

12 GA

828 U SILVER

OVER & UNDER



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")	TRIGGER PULL (KG) (± 10%)	SAFETY	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0455000	12	76 mm - 3"	375	65/26	2.5 (1st trigger); 2.5 (2nd trigger)	Manual	Pistol with Progressive Comfort system	Blued glossy	Ventilated carbon fibre flat	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0455100		76 mm - 3"	375	70/28		Automatic					
A0473200		76 mm - 3"	375	76/30							
A0455800		76 mm - 3"	375	65/26		Manual					
A0455900		76 mm - 3"	375	70/28							
A0473400		76 mm - 3"	375	76/30		Detachable Trigger group					
A0497400		76 mm - 3"	365	65/26							
A0497500		76 mm - 3"	365	70/28		Manual					
A0455400		76 mm - 3"	345 COMPACT	65/26							
A0455500		76 mm - 3"	345 COMPACT	70/28		Manual					
A0456200		76 mm - 3"	345 COMPACT	65/26							
A0456300		76 mm - 3"	345 COMPACT	70/28		Manual					
A0487900 LH		76 mm - 3"	375	70/28							
A0498100 LH		76 mm - 3"	375	70/28							

Weight (± 100g): 2950

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 3 Oil Walnut Wood

Comb: Low Polyurethane

Ejectors: Automatic, impulsive driven ejection



828 U SILVER

OVER & UNDER



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")	TRIGGER PULL (KG) (± 10%)	SAFETY	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0494000	20	76 mm - 3"	375	65/26	1.6 (1st trigger); 1.6 (2nd trigger)	Manual	Pistol with Progressive Comfort system	Blued glossy	Ventilated carbon fibre flat	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0494100		76 mm - 3"	375	70/28							
A0494200		76 mm - 3"	375	76/30							
A0567300		76 mm - 3"	345 COMPACT	65/26	Detachable Trigger group	Automatic					
A0567500		76 mm - 3"	365	65/26							
A0567400		76 mm - 3"	345 COMPACT	70/28							
A0567600		76 mm - 3"	365	70/28							
A0493800		76 mm - 3"	375	70/28							
A0493900		76 mm - 3"	375	76/30							

Weight (± 100g): 2700

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 3 Super Oil Walnut Wood

Comb: Low Polyurethane

Ejectors: Automatic, impulsive driven ejection



828 U BLACK

OVER & UNDER



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")	TRIGGER PULL (KG) (± 10%)	SAFETY	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0454800	12	76 mm - 3"	375	65/26 	2.5 (1st trigger); 2.5 (2nd trigger)	Manual	Pistol with Progressive Comfort system	Blued glossy	Ventilated carbon fibre flat	Short fluorescent red	5 INTERNAL 70 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0454900		76 mm - 3"	375	70/28 							
A0473300		76 mm - 3"	375	76/30 		Automatic					
A0455600		76 mm - 3"	375	65/26 							
A0455700		76 mm - 3"	375	70/28 							
A0473500		76 mm - 3"	375	76/30 							
A0497200		76 mm - 3"	365	65/26 		Manual					
A0497300		76 mm - 3"	365	70/28 							
A0455200		76 mm - 3"	345 COMPACT	65/26 	Detachable Trigger group						
A0455300		76 mm - 3"	345 COMPACT	70/28 							
A0456000		76 mm - 3"	345 COMPACT	65/26 		Automatic					
A0456100		76 mm - 3"	345 COMPACT	70/28 							
A0488000 LH		76 mm - 3"	375	70/28 	Manual						
A0498200 LH		76 mm - 3"	375	70/28 	Automatic						

Weight (± 100g): 2980

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 3 Oil Walnut Wood

Comb: Low Polyurethane

Ejectors: Automatic, impulsive driven ejection



Benelli

828 U BECCACCIA

OVER & UNDER



	CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")		TRIGGER PULL (KG) (± 10%)	SAFETY	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
NEW	A0513300	12	76 mm - 3"	345	COMPACT	61/24	◆	Manual	Pistol with Progressive Comfort system	Blued matt	Ventilated carbon fibre flat	Long green high visibility front sight	3 INTERNAL 70 mm M (**); IC (****); CYL (*****) + 1 Ampliator 70 mm
	A0490600		76 mm - 3"	365	61/24	◆	2.5 (1st trigger); 2.5 (2nd trigger)						
	A0581900	20	76 mm - 3"	365	61/24	◆	Detachable Trigger group						
	A0582000		76 mm - 3"	365	65/26	◆							

Weight (± 100g): 12 ga 2800 / 20 ga 2750

Recoil Pad: Polyurethane

Stock and Forend finishing: Walnut Wood with Wood Fx

Comb: Low Polyurethane

Ejectors: Eco-friendly, manual

828 U SPORT

OVER & UNDER



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")	TRIGGER PULL (KG) (± 10%)	SAFETY	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES - CRIO
A0556600	12	76 mm - 3"	345 COMPACT	76/30	◇	Manual	Sporting with Progressive Balancing system	Blued matt	Carbon fibre high and wide rib	Short white	5 KND SPORT 50 + 20 mm F (*); IM (**); M (***); IC (****); CYL (*****)
A0556700		76 mm - 3"	345 COMPACT	81/32	◇						
A0557400		76 mm - 3"	360	76/30	◇						
A0557500		76 mm - 3"	360	81/32	◇						
A0478700		76 mm - 3"	375	76/30	◇						
A0492200		76 mm - 3"	375	81/32	◇						
A0556400 LH		76 mm - 3"	345 COMPACT	76/30	◇						
A0556500 LH		76 mm - 3"	345 COMPACT	81/32	◇						
A0557200 LH		76 mm - 3"	360	76/30	◇						
A0557300 LH		76 mm - 3"	360	81/32	◇						
A0539900 LH		76 mm - 3"	375	76/30	◇						
A0540000 LH		76 mm - 3"	375	81/32	◇						
NEW A0568200		76 mm - 3	-	76/30	◇		Headed				
NEW A0568300		76 mm - 3	-	81/32	◇						

Weight (± 100g): 3650

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 3 Oil Walnut Wood

Comb: -

Ejectors: Automatic, impulsive driven ejection



LUPO

BOLT ACTION

99 **LUPO**

LUPO

BOLT ACTION



LUPO

BOLT ACTION



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")	TWIST RATE (")	LENGTH (MM)	DROP AT HEEL (± 2 MM)	TRIGGER PULL (N) (FROM/TO)	MAGAZINE	SAFETY	BOLT	STOCK	BARREL TREATMENT
A0568900	243 WIN	350	56/22	10	1082	40, 45, 50 (mounted), 55	ADJ 9,99 up to 20	Double Stack Detachable 5 Rounds	Translating ambidextrous 2 positions + bolt locking lever	BE.S.T.	Pistol with Progressive Comfort system	BE.S.T. glossy
A0567900	6.5 CREED	350	61/24	8	1133	40, 45, 50 (mounted), 55	ADJ 9,99 up to 20	Double Stack Detachable 5 Rounds				
A0551600	270 WIN	350	56/22	10	1082	40, 45, 50 (mounted), 55	ADJ 9,99 up to 20	Double Stack Detachable 5 Rounds				
A0568000	308 WIN	350	56/22	11	1082	40, 45, 50 (mounted), 55	ADJ 9,99 up to 20	Double Stack Detachable 5 Rounds				
A0551400	30-06 SPRG	350	56/22	11	1082	40, 45, 50 (mounted), 55	ADJ 9,99 up to 20	Double Stack Detachable 5 Rounds				
A0551500	300 W.M.	350	61/24	11	1133	40, 45, 50 (mounted), 55	ADJ 9,99 up to 20	Double Stack Detachable 4 Rounds				

Weight (± 100g): 3180 (243 WIN, 270 WIN, 308 WIN, 30-06 SPRG) / 3230 (6.5 CREED, 300 W.M.)

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Interchangeable Combtech: flat (STD), raised, extra high (optionals)

Rail: Two - piece Picatinny

Bipod configuration: Drilled and Tapped

Muzzle Thread: M14x1

Action: Medium, Steel with BE.S.T. Treatment

External barrel diameter: 17 mm

BE.S.T. Components: bolt, bolt handle, upper receiver, safety bolt block, barrel, muzzle cup

Chassis: Aluminium, black anodised



ENDURANCE

SEMIAUTOMATIC RIFLES

100 **ENDURANCE**

101 Endurance BE.S.T.

103 Endurance BE.S.T.
Limited Edition

ENDURANCE BE.S.T.

SEMI-AUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB	SIGHT	RAIL CONFIGURATION
A0542300	30-06 SPRG	350	51/20	11	Detachable 2 Rounds	Montecarlo with Comfortech system	Blued glossy	Carbon fibre short rib	Adj front sight Easy aim	Upper receiver Drilled and Tapped
A0517500		350	51/20	11	Detachable 4 Rounds					
A0542500	300 W.M.	350	51/20	11	Detachable 2 Rounds					
A0542600		350	51/20	11	Detachable 3 Rounds					
A0542400	308 WIN	350	51/20	11	Detachable 2 Rounds					
A0519400		350	51/20	11	Detachable 4 Rounds					
A0542800	9,3x62	350	56/22	14	Detachable 2 Rounds					
A0542900		350	56/22	14	Detachable 4 Rounds					

Weight (± 100g): 3450

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Gel

Trigger Pull (Kg) (± 10 %): 2.1

BE.S.T. Components: Upper receiver, bolt, bolt handle and gas system rod



ENDURANCE BE.S.T. LIMITED EDITION

SEMI-AUTOMATIC RIFLE



NEW ENDURANCE BE.S.T. LIMITED EDITION

SEMI-AUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/IN)	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB	SIGHT	RAIL CONFIGURATION
A0533200	30-06 SPFD	365	51/20	11	Detachable 4 Rounds	Montecarlo with Progressive Comfort	BE.S.T. glossy	Carbon fibre short rib	Adj front sight Easy aim	Upper receiver Drilled and Tapped
A0533300	300 W.M.	365	51/20	11	Detachable 3 Rounds					
A0533400	308 WIN	365	51/20	11	Detachable 4 Rounds					
A0533500	9,3x62	365	56/22	14	Detachable 4 Rounds					

Weight (± 100g): 3350

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 4 Oil Walnut Wood

Comb: Polyurethane

Trigger Pull (Kg) (± 10 %): 2.1

BE.S.T. Components: Upper receiver and gas system rod



ARGO E

SEMIAUTOMATIC RIFLES

104 **ARGO E**

105 Argo E Pro

106 Argo E Prestige

107 Argo E Wood

108 Argo E Comfortech

109 Argo E Compact Black

110 Argo E Fluted

111 Argo E Battue

112 Argo E
Amazonia Green

112 Argo E Sequoia Brown

113 **MR1**

113 MR1

ARGO E PRO

SEMIAUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB	SIGHT	RAIL CONFIGURATION
A0447600	30-06 SPRG	365	51/20	11	Detachable 4 Rounds	Montecarlo with Progressive Comfort system	Blued glossy	Carbon fibre short rib	Adj front sight Easy aim	Upper receiver Drilled and Tapped
A0447700		365	51/20	11	Detachable 2 Rounds					
A0447900		365	51/20	11	Detachable 4 Rounds					
A0448000	308 WIN	365	51/20	11	Detachable 2 Rounds					
A0448100		365	56/22	11	Detachable 2 Rounds					
A0448300	300 W.M.	365	51/20	11	Detachable 2 Rounds					
A0448500	9,3x62	365	56/22	11	Detachable 4 Rounds					
A0448400		365	56/22	11	Detachable 2 Rounds					
A0448600	7x64	365	51/20	11	Detachable 2 Rounds					
A0447800	30-06 SPRG	350 COMPACT	51/20	11	Detachable 4 Rounds					
A0448200	308 WIN	350 COMPACT	51/20	11	Detachable 2 Rounds					

Weight (± 100g): 3350

Recoil Pad: Polyurethane

Stock and Forend finishing: Grade 2 Vernish Walnut Wood

Comb: Polyurethane

Trigger Pull (Kg) (± 10 %): 2.1



ARGO E PRESTIGE

SEMI-AUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB	SIGHT	RAIL CONFIGURATION
A0411000	30-06 SPRG	354	51/20	11	Detachable 4 Rounds	Montecarlo	Blued glossy	Carbon fibre short rib	Adj front sight Easy aim	Upper receiver Drilled and Tapped
A0410900		354	51/20	11	Detachable 2 Rounds					
A0411500	308 WIN	354	51/20	11	Detachable 4 Rounds					
A0411400		354	51/20	11	Detachable 2 Rounds					
A0411100	300 WIN	354	51/20	10	Detachable 3 Rounds					
A0411600	9,3x62	354	56/22	14	Detachable 4 Rounds					
A0411900		354	56/22	14	Detachable 2 Rounds					

Weight (± 100g): 3350

Recoil Pad: Solid rubber

Stock and Forend finishing: Grade 4 Oil Walnut Wood

Comb: -

Trigger Pull (Kg) (± 10 %): 2.1

ARGO E WOOD

SEMI-AUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB - REAR SIGHT	SIGHT	RAIL CONFIGURATION
A0392000	30-06 SPRG	354	51/20	11	Detachable 4 Rounds	Montecarlo	Blued glossy	Carbon fibre short rib	Adj front sight Easy aim	Upper receiver Drilled and Tapped
A0392200		354	51/20	11	Detachable 2 Rounds			Adj rear sight		
A0393400		354	56/22	11	Detachable 2 Rounds			Carbon fibre short rib		
A0392300	308 WIN	354	51/20	11	Detachable 4 Rounds			Adj rear sight		
A0392500		354	51/20	11	Detachable 2 Rounds			Carbon fibre short rib		
A0392600		354	56/22	11	Detachable 2 Rounds			Adj rear sight		
A0393600	300 W.M.	354	56/22	11	Detachable 4 Rounds			Carbon fibre short rib		
A0392100		354	51/20	11	Detachable 2 Rounds			Adj rear sight		
A0393500		354	61/24	11	Detachable 2 Rounds			Carbon fibre short rib		
A0392800	9,3x62	354	56/22	14	Detachable 4 Rounds			Adj rear sight		
A0392400		354	56/22	14	Detachable 2 Rounds			Carbon fibre short rib		
A0392700	7x64	354	51/20	10	Detachable 2 Rounds			Carbon fibre short rib		
A0407700	338 W.M.	354	61/24	10	Detachable 2 Rounds					
A0407800		354	61/24	10	Detachable 3 Rounds					

Weight (± 100g): 3350

Recoil Pad: Solid rubber

Stock and Forend finishing: Grade 2 Vernish Walnut Wood

Comb: -

Trigger Pull (Kg) (± 10 %): 2.1



ARGO E COMFORTECH

SEMIAUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB - REAR SIGHT	SIGHT	RAIL CONFIGURATION
A0394101	30-06 SPRG	350	51/20	11	Detachable 4 Rounds	Montecarlo with Comfortech System	Blued glossy	Carbon fibre short rib	Adj front sight Easy aim	Upper receiver Drilled and Tapped
A0394201		350	51/20	11	Detachable 2 Rounds					
A0445901		350	56/22	11	Detachable 2 Rounds			Adj rear sight		
A0394801	308 WIN	350	51/20	11	Detachable 4 Rounds					
A0394401	300 W.M.	350	51/20	11	Detachable 3 Rounds			Carbon fibre short rib		
A0394301	308	350	51/20	11	Detachable 2 Rounds					
A0394701	9,3x62	350	56/22	14	Detachable 4 Rounds					
A0394501		350	56/22	14	Detachable 2 Rounds					
A0398301	338 W.M.	350	61/24	10	Detachable 3 Rounds			Adj rear sight		
A0555100	270 WIN	350	51/20	10	Detachable 2 Rounds			Carbon fibre short rib		
A0478900	338 W.M.	350	51/20	11	Detachable 3 Rounds			Adj rear sight		

Weight (± 100g): 3450

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Gel

Trigger Pull (Kg) (± 10 %): 2.1

ARGO E COMPACT BLACK

SEMI-AUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB	SIGHT	RAIL CONFIGURATION
A0491300	30-06 SPRG	350	47/18.5	11	Detachable 4 Rounds	Montecarlo with Comfortech system	Blued glossy	Carbon fibre short rib	Adj front sight Easy aim	Upper receiver Drilled and Tapped
A0508500		350	47/18.5	11	Detachable 2 Rounds					
A0491400	308 WIN	350	47/18.5	11	Detachable 4 Rounds					
A0508600		350	47/18.5	11	Detachable 2 Rounds					

Weight (± 100g): 3400

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Gel

Trigger Pull (Kg) (± 10 %): 2.1



ARGO E FLUTED

SEMI-AUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB	SIGHT	RAIL CONFIGURATION
A0489300	30-06 SPRG	350	47/18.5	11	Detachable 4 Rounds	Montecarlo with Comfortech system	Blued matt fluted	Carbon fibre short rib	Adj front sight Easy aim	Upper receiver Drilled and Tapped
A0525300		350	47/18.5	11	Detachable 2 Rounds					
A0489400	308 WIN	350	47/18.5	11	Detachable 4 Rounds					

Weight (± 100g): 3450

Recoil Pad: Polyurethane

Stock and Forend finishing: Black Techno-polymer

Comb: Gel

Trigger Pull (Kg) (± 10 %): 2.1

ARGO E BATTUE

SEMI-AUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB	SIGHT	RAIL CONFIGURATION
A0465600	30-06 SPRG	350	47/18.5	11	Detachable 2 and 5 Rounds	Montecarlo with Comfortech system	Blued matt	Carbon fibre short rib	Adj front sight Easy aim	Upper receiver Drilled and Tapped
A0465800	308 WIN	350	47/18.5	11	Detachable 2 and 5 Rounds					

Weight (± 100g): 3400

Recoil Pad: Polyurethane

Stock and Forend finishing: Camo AP-Blaze Techno-polymer

Comb: Gel

Trigger Pull (Kg) (± 10 %): 2.1



ARGO E AMAZONIA GREEN

SEMI-AUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB	SIGHT	RAIL CONFIGURATION
A0395501	30-06 SPRG	350	51/20	11	Detachable 4 Rounds	Montecarlo with Comfortech System	Blued glossy	Carbon fibre short rib	Adj front sight Easy aim	Upper receiver Drilled and Tapped
A0395601		350	51/20	11	Detachable 2 Rounds					
A0396101	308 WIN	350	51/20	11	Detachable 4 Rounds					
A0395801	300 W.M.	350	51/20	11	Detachable 3 Rounds					
A0395701		350	51/20	11	Detachable 2 Rounds					
A0396001	9,3x62	350	56/22	11	Detachable 4 Rounds					
A0395901		350	56/22	11	Detachable 2 Rounds					

ARGO E SEQUOIA BROWN

NEW	A0581100	30-06 SPRG	350	51/20	11	Detachable 4 Rounds	Montecarlo with Comfortech system	Blued glossy	Carbon fibre short rib	Adj front sight Easy aim	Upper receiver Drilled and Tapped
NEW	A0581200	300 W.M.	350	51/20	11	Detachable 3 Rounds					

Weight (± 100g): 3450

Recoil Pad: Polyurethane

Stock and Forend finishing: Amazonia Green Techno-polymer (Argo E Amazonia Green) / Sequoia Brown Techno-polymer (Argo E Sequoia Brown)

Comb: Gel

Trigger Pull (Kg) (± 10 %): 2.1

MR1

SEMIAUTOMATIC RIFLE



CODE	CALIBER	L.O.P. (± 2 MM)	BARREL LENGTH (CM/")	TWIST RATE (INCHES)	MAGAZINE	STOCK	BARREL FINISH	RIB	SIGHT	RAIL CONFIGURATION
A0249300	223 REM	353 Adj	51/20	9	Detachable 5 Rounds	Pistol	Phosphate	-	Adj ghost ring sight, fixed front sight and picatinny rail	Picatinny rail
A0376400		353 Adj	41/16	9	Detachable 5 Rounds					
A0376600		357 Adj	51/20	9	Detachable 5 Rounds	Pistol Grip				
A0376500		357 Adj	41/16	9	Detachable 5 Rounds					
A0376900		352 Adj	51/20	9	Detachable 5 Rounds	Telescopic Pistol Grip			Adj ghost ring sight, fixed front sight, picatinny rail and muzzle breake	
A0376700		352 Adj	32+5/12.5+2	9	Detachable 5 Rounds					

Weight (± 100g): 3450

Recoil Pad: Solid Rubber

Stock and Forend finishing: Black Techno-polymer

Comb: -

Trigger Pull (Kg) (± 10 %): 2.7

ARGO

NOVA SUPERNOVA

PUMPS ACTION

114 NOVA

116 Nova Black	12, 20 GA
117 Nova Camo MAX 5	12 GA
118 Nova H2O	12 GA

114 SUPERNOVA

119 Supernova Black	12 GA
120 Supernova Camo MAX 5	12 GA
121 Supernova Tactical	12 GA

NOVA BLACK

PUMP ACTION



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0089100	12	89 mm - 3.5"	360	3 (89); 4 (70/76)	61/24	Pistol	Blued matt	Ventilated steel step	Intermediate metallic sight and short fluorescent red	3 INTERNAL 70 mm F (*); M (**); IC (****)
A0089000		89 mm - 3.5"	360	3 (89); 4 (70/76)	65/26					
A0060400		89 mm - 3.5"	360	3 (89); 4 (70/76)	70/28					
A0060301		89 mm - 3.5"	360	3 (89); 4 (70/76)	47/18.5 Slug			-	Adj rear sight and fixed front sight	-
A0099300		89 mm - 3.5"	360	3 (89); 4 (70/76)	47/18.5 Slug				Adj ghost sight and fixed front sight	
A0088901		89 mm - 3.5"	360	3 (89); 4 (70/76)	50/20 Slug				Adj rear sight and fixed front sight	
A0118900	20	89 mm - 3.5"	360	4 (70/76)	61/24			Ventilated steel step	Intermediate metallic sight and short fluorescent red	3 INTERNAL 70 mm F (*); M (**); IC (****)
A0094100		89 mm - 3.5"	360	4 (70/76)	65/26					
A0190900		89 mm - 3.5"	327 COMPACT	4 (70/76)	61/24					

Weight (± 100g): 12 ga 3600 / 20 ga 3000

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Comb: -

Trigger Pull (Kg) (± 10 %): 3

NOVA CAMO MAX 5

PUMP ACTION



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0169202	12	89 mm - 3.5"	360	3 (89); 4 (70/76)	65/26	Pistol	Camo Max 5	Ventilated steel step	Intermediate metallic sight and short fluorescent red	3 INTERNAL 70 mm F (*); M (***); IC (****)
A0169102		89 mm - 3.5"	360	3 (89); 4 (70/76)	70/28					

Weight (± 100g): 3500

Recoil Pad: Solid Rubber

Stock and Forend finishing: Camo Max 5 Techno-polymer

Comb: -

Trigger Pull (Kg) (± 10 %): 3.3

NOVA H20

PUMP ACTION



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0137100	12	89 mm - 3.5"	360	3 (89); 4 (70/76)	47/18.5 Slug	Pistol	Nickel-plated	-	Adj rear sight and fixed front sight	-

Weight (± 100g): 3150

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Comb: -

Trigger Pull (Kg) (± 10 %): 3.3

SUPERNOVA BLACK

PUMP ACTION



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0221800	12	89 mm - 3.5"	365	3 (89); 4 (70/76)	61/24	Pistol with Comfortech System	Blued matt	Ventilated steel step	Intermediate metallic sight and short fluorescent red	3 INTERNAL 70 mm F (*); M (***); IC (****)
A0221900		89 mm - 3.5"	365	3 (89); 4 (70/76)	65/26					
A0222000		89 mm - 3.5"	365	3 (89); 4 (70/76)	70/28					
A0231000		89 mm - 3.5"	365	3 (89); 4 (70/76)	47/18.5 Slug					
A0233700		89 mm - 3.5"	365	3 (89); 4 (70/76)	50/20 Slug		-	Adj rear sight and fixed front sight	-	
A0241500		89 mm - 3.5"	365	3 (89); 4 (70/76)	61/24 Rifled Slug					

Weight (± 100g): 3600

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Comb: Gel

Trigger Pull (Kg) (± 10 %): 3.3



SUPERNOVA CAMO MAX 5

PUMP ACTION



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0222302	12	89 mm - 3.5"	365	3 (89); 4 (70/76)	65/26	Pistol with Comfortech system	Camo Max 5	Ventilated steel step	Intermediate metallic sight and short fluorescent red	3 INTERNAL 70 mm F (*); M (***); IC (****)
A0222402		89 mm - 3.5"	365	3 (89); 4 (70/76)	70/28					

Weight (± 100g): 3600

Recoil Pad: Solid rubber

Stock and Forend finishing: Camo Max 5 Techno-polymer

Comb: Gel

Trigger Pull (Kg) (± 10 %): 3.3

SUPERNOVA TACTICAL

PUMP ACTION



CODE	GA.	CHAMBER	L.O.P. (± 2 MM)	MAGAZINE (2 WITH LIMITER)	BARREL LENGTH (CM/")	STOCK	BARREL FINISH	RIB	SIGHT	CHOKES
A0231100	12	89 mm - 3.5"	365	3 (89); 4 (70/76)	47/18.5 Slug	Pistol with Comfortech system	Blued matt	-	Adj ghost ring sight and fixed front sight	-
A0222900		89 mm - 3.5"	365	3 (89); 4 (70/76)	47/18.5 Slug	Pistol Grip				
A0234900		89 mm - 3.5"	350 Adj	3 (89); 4 (70/76)	47/18.5 Slug	Telescopic Pistol Grip			Adj ghost ring sight, fixed front sight and picatinny rail	
A0421000		89 mm - 3.5"	350 Adj	3 (89); 4 (70/76)	50/20 Slug				Adj rear sight and fixed front sight	

Weight (± 100g): 3300

Recoil Pad: Solid rubber

Stock and Forend finishing: Black Techno-polymer

Comb: -

Trigger Pull (Kg) (± 10 %): 3.3



MP

PISTOLS

122 **MP**

123 MP 90S World Cup

123 MP 95 E

MP 90 S WORLD CUP

PISTOLS



CODE	GAUGE	WEIGHT (g)	BARREL LENGTH (mm/")	TWIST RATE (INCHES/mm)	MAGAZINE	GRIP	TRIGGER PULL (KG) (± 10%)	BARREL FINISH	SIGHT
A0369300	22 long rifle	1100	110/4	8/450	6 loader	Large RH Adj	From 100 to 500 gr (1st stage); from 500 to 900 gr (2nd stage)	Blued glossy	Adj rear sight and fixed front sight
A0369500	32 Wad Cutter	1180	110/4	6/450	5 loader				

MP 95 E

PISTOLS



CODE	GAUGE	WEIGHT (g)	BARREL LENGTH (mm/")	TWIST RATE (INCHES/mm)	MAGAZINE	GRIP	TRIGGER PULL (KG) (± 10%)	BARREL FINISH	SIGHT
A0382900	22 long rifle	1100	110/4	8/450	6 loader	Fixed	From 100 to 500 gr (1st stage); from 500 to 900 gr (2nd stage)	Blued glossy	Adj rear sight and fixed front sight

KITE

PISTOLS

124 **AIR PRESSED KITE**
(Free Sales)

125 Kite

125 Kite Young

KITE

AIR PRESSED PISTOLS - FREE SALE



CODE	GAUGE	WEIGHT (g)	BARREL LENGTH (mm/")	TWIST RATE (INCHES/mm)	MAGAZINE TUBE	GRIP	TRIGGER PULL (KG) (± 10%)	BARREL FINISH	SIGHT
A0165301	4.5 mm (.177)	800	240/9	12/450	Long blue 300 rounds (280 gr)	Large RH Adj	From 100 to 470 gr (1st stage); from 400 to 1000 gr (2nd stage)	Blued glossy	Adj rear sight and fixed front sight

Muzzle energy: <7,5 Joule

KITE YOUNG

AIR PRESSED PISTOLS - FREE SALE



CODE	GAUGE	WEIGHT (g)	BARREL LENGTH (mm/")	TWIST RATE (INCHES/mm)	MAGAZINE TUBE	GRIP	TRIGGER PULL (KG) (± 10%)	BARREL FINISH	SIGHT
A0168501	4.5 mm (.177)	750	190/7	12/450	Medium blue 180 rounds (225 gr)	Medium RH Adj	From 100 to 470 gr (1st stage); from 400 to 1000 gr (2nd stage)	Blued glossy	Adj rear sight and fixed front sight

Muzzle energy: <7,5 Joule

BARRELS

BARREL - 12 GAUGE - 3" - MAGNUM CHAMBER

MODELS	CODE	BARREL	RIB	SIGHT	CHOKES - CRIO	
Raffaello Deluxe Power Bore Raffaello Power Bore	C0111000	24" - 61 cm	◇	Carbon fibre low rib	Intermediate metallic sight + long red, yellow and green fibre optic	5 Internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0111100	26" - 65 cm	◇			
	C0111200	28" - 70 cm	◇			
	C0111300	30" - 75 cm	◇			
Raffaello Black	C0114400	24" - 61 cm	◇	Low rib	Long red fibre optic	5 Internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0114500	26" - 65 cm	◇			
	C0114600	28" - 70 cm	◇			
	C0114700	30" - 75 cm	◇			
Raffaello Elegant Duca di Montefeltro Montefeltro Extra Light Comfort Montefeltro	C0002104	21" - 54 cm	◇	Low rib	Short red	5 Internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0084100	24" - 61 cm	◇			
	C0040601	26" - 65 cm	◇			
	C0040701	28" - 70 cm	◇			
	C0030402	30" - 75 cm	◇			
Raffaello Black Raffaello Elegant Duca di Montefeltro Montefeltro Extra Light Comfort Montefeltro	C0040800	30" - 75 cm	◇	Low rib	Short red	1 fixed choke full (*).
	C0004501	20" - 50 cm Slug	◇	-	Adjustable rear sight + front sight + scope mount	Cylinder
	C0011801	22" - 55 cm Slug			Adjustable rear sight + front sight	
	C0011901	24" - 61 cm Slug				
Duca di Montefeltro Left Hand Montefeltro Left Hand	C0084200	26" - 65 cm	◇	Low rib	Short red	5 Internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0084300	28" - 70 cm	◇			
Raffaello Criocomfort Centro	C0055300	24" - 61 cm	◇	Carbon fibre low rib	Intermediate metallic sight + long red fibre optic	2 internal chokes modified (**); cylinder (*****).
	C0054200	26" - 65 cm	◇			
	C0054400	28" - 70 cm	◇			
	C0055200	30" - 75 cm	◇			
Raffaello Criocomfort Left Hand	C0056100	26" - 65 cm	◇	Carbon fibre low rib	Intermediate metallic sight + long red fibre optic	5 Internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0056200	28" - 70 cm	◇			
	C0092000	30" - 75 cm	◇	-	-	

BARRELS

MODELS	CODE	BARREL	RIB	SIGHT	CHOKES - CRIO
Legacy Sport Raffaello Super Sport Sport II	C0031102	28" - 70 cm	High rib	Intermediate metallic sight + short red	5 Knurled end chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0046101	28" - 70 cm 			Internal chokes
	C0030502	30" - 75 cm 			
Cordoba	C0040301	28" - 70 cm	High rib	Intermediate metallic sight + short red	5 Knurled end chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
Beccaccia Supreme	C0106900	24" - 61 cm 	Carbon fibre low rib	Intermediate metallic sight + long red, yellow fibre optic	Ampliator choke + 3 internal chokes modified (**); improved cylinder (****); cylinder (*****).
	C0107000	26" - 65 cm 			
M2	C0084600	21" - 54 cm 	High rib	Short red	5 Internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0084500	24" - 61 cm 			
	C0044300	26" - 65 cm 			
	C0044400	28" - 70 cm 			
	C0037600	24" - 61 cm Rifled slug	-	Adjustable rear sight + front sight	Cylinder
M2 Left Hand	C0084700	24" - 61 cm 	High rib	Short red	5 internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0044800	26" - 65 cm 			
	C0044900	28" - 70 cm 			
M2 Practical	C0084900	26" - 65 cm	-	Adjustable ghost ring sight + front sight + picatinny rail	3 internal chokes full (*); modified (***); improved cylinder (****).
M2 Tactical	C0041500	18,5" - 47 cm	-	Adjustable rear sight + front sight	3 internal chokes full (*); modified (***); improved cylinder (****).
	C0084400	18,5" - 47 cm Slug 		Ghost sight	
	C0043700	20" - 50 cm Slug		Adjustable ghost ring sight + front sight	Cylinder

BARRELS

MODELS	CODE	BARREL	RIB	SIGHT	CHOKES
M1 S.90/M2	C0043800	18,5" - 47 cm Slug	-	Adjustable rear sight + front sight	Cylinder
	C0033600	28" - 70 cm	High rib	Adjustable ghost ring sight + front sight	5 internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0043400	20" - 50 cm Slug	-		Cylinder
M3	C0008101	26" - 65 cm	High rib	Short red	5 internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0008002	20" - 50 cm Slug	-	Adjustable rear sight + front sight	Cylinder
M3 S.90	C0013501	20" - 50 cm Slug	-	Scope mount rail	Cylinder
	C0016601	18,5" - 47 cm Slug			Internal chokes
	C0016600	18,5" - 47 cm Slug			
M3 Tactical	C0052500	20" - 50 cm Slug	-	Adjustable ghost ring sight + front sight	Cylinder
	C0088200	14"- 36 cm		No sight	
	C0052600	14" - 36 cm Slug		Adjustable ghost ring sight + front sight + picatinny rail	
M3 Kromo	C0012101	20" - 50 cm Slug (Kromo barrel)	-	Adjustable rear sight + front sight	Cylinder
M4 S.90	C0096400	20" - 50 cm	-	Ghost sight	1 internal choke modified (***).
M4	C0019302	18,5" - 47 cm	-	Adjustable ghost ring sight + front sight + picatinny rail	1 internal choke modified (***).
	C0027601	14" - 36 cm			

BARREL - 12 GAUGE - - 2 ³/₄ CHAMBER

MODELS	CODE	BARREL	RIB	SIGHT	CHOKES - CRIO
Raffaello Black Raffaello Elegant Duca di Montefeltro Montefeltro Extra Light Comfort Montefeltro	C0040900	24" - 61 cm 	Low rib	Short red	1 external choke improved modified (**).
	C0003302	26" - 65 cm			1 fixed choke Modified (***).
	C0003102				1 fixed choke improved modified (**).
	C0003202		-		1 fixed choke modified (***).
	C0003502	26" - 65 cm	Low rib		1 fixed choke improved modified (***)
	C0003402				1 fixed choke improved cylinder (****)
	C0003802	28" - 70 cm			1 fixed choke Full (*)
	C0004002				1 fixed choke improved modified (**).
	C0004202				1 fixed choke modified (***).
	C0003902		-		1 fixed choke improved modified (**).

BARRELS

BARREL - 12 GAUGE - 3,5" - SUPER MAGNUM CHAMBER

MODELS	CODE	BARREL	RIB	SIGHT	CHOKES
Super Black Eagle II	C0085400	28" - 70 cm 	High rib	Intermediate metallic sight + short red + drilled and tapped cover (for scope mount)	5 internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0037400	24" - 61 cm Rifled slug	-	Adjustable rear sight + front sight + drilled and tapped cover (for scope mount)	Cylinder
Nova Super Nova	C0017500	24" - 61 cm	High rib	Intermediate metallic sight + Short red	3 internal chokes full (*); modified (***); improved cylinder (****).
	C0017400	26" - 65 cm			
	C0012900	28" - 70 cm			
	C0020700	24" - 61 cm Rifled slug	-	Adjustable rear sight + front sight	Cylinder
	C0017601				
	C0013001	18,5" - 47 cm Slug			
	C0020600				
	C0017701	20" - 50 cm Slug			

BARREL - 20 GAUGE - 3" - MAGNUM CHAMBER

MODELS	CODE	BARREL	RIB	SIGHT	CHOKES - CRIO
Raffaello Crio	C0089900	24" - 61 cm 	Carbon fibre low rib	Intermediate metallic sight + long red fibre optic	2 internal chokes modified (***); cylinder (****).
	C0090000	26" - 65 cm 			
	C0091100				
	C0090100	28" - 70 cm 			
	C0091500				
Raffaello Slug	C0053100	22" - 56 cm Slug	Carbon fibre short rib	Long red fibre optic + drilled and tapped cover (for scope mount)	Cylinder
Raffaello Sport Sport II	C0047300	28" - 70 cm	High rib	Intermediate metallic sight + short red	5 Knurled end chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).

BARRELS

MODELS	CODE	BARREL	RIB	SIGHT	CHOKES - CRIO
Cordoba	C0047200	28" - 70 cm	High rib	Intermediate metallic sight + short red	5 Knurled end chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
Duca di Montefeltro Comfort Montefeltro	C0086800	24" - 61 m 	Low rib	Intermediate metallic sight + short red	5 internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0041301	26" - 65 cm 			
	C0009301				
	C0086900	28" - 70 cm 			
M2	C0021002	24" - 61 cm	High rib	Intermediate metallic sight + short red	5 internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0020902	26" - 65 cm			
M2 max 5	C0115700	26" - 65 cm	High rib	Intermediate metallic sight + short red	5 internal chokes full (*); improved modified (**); modified (***); improved cylinder (****); cylinder (*****).
	C0113300	28" - 70 cm			

BARREL ARGO-E

MODELS	CODE	GAUGE	BARREL	SIGHT
Argo R1	C0038600	30.06	20"	Without sight
Argo-E	C0038700	30.06	22"	Without sight
	C0041100	300 WM	20"	
	C0041200	300 WM	24"	
	C0044200	308 W	20"	
	C0104400	338 WM	24"	
	C0053600	9,3 x 62	22"	

STEEL SHOT

THE “STEEL LILY”

Every barrel presents a Fleur-de-Lys proof mark(❖) and are tested by the National Proof House for steel shot ammunition.

The Crio Steel Shot chokes feature lengthened forcing cone to guarantee maximum ballistic performance and resistance when using Steel ammunition. Benelli advice: steel is less dense than lead which means steel shots are usually driven at lower velocities. It is suggested to shoot with bigger pellets when using "Steel Shot" cartridges.

For a performance similar to lead pellets, our advice is to use steel pellets two points less than lead pellets.

For example: If for the migratory bird early-season hunting you use lead cartridges No. 5, for "Steel Shot" cartridges go for No. 3.

Chokes M (**)/IC (****)/CYL (*****) are STEEL SHOT OK.
F (*)/IM (**) are STEEL SHOT OK only for the configurations Raffaello Power Bore 12 ga

The table below shows the recommended conversions.

STEEL SHOT TABLE OF CONVERSION

AMMUNITION (TYPE OF PELLET)	0	1	2	3	4	5	6	7	7 1/2	8	8 1/2	9
PELLET DIAMETER IN MM	3.9	3.7	3.5	3.3	3.1	2.9	2.7	2.5	2.4	2.3	2.2	2.1
LEAD PELLET WEIGHT IN GRAMS	0.34	0.29	0.25	0.21	0.17	0.14	0.11	0.09	0.08	0.07	0.06	0.05
STEEL PELLET WEIGHT IN GRAMS	0.24	0.20	0.17	0.14	0.12	0.09	0.08	0.06	0.05	0.05	0.04	0.04



The Company reserves the right to change data, technical features, dimension, weight and pictures in this catalogue, at any time without prior notice.




benelli.it

GENERAL CATALOGUE 2021/2022



THE BEST **WARRANTY**
IN THE WORLD



Benelli Armi S.p.A.

Via della Stazione, 50 61029 Urbino (PU) - Italy
ph. +39 0722 3071 - fax +39 0722 307 206
info@benelli.it

 **Benelli**