

PRESCOT

ŚWIETŁÓWKI LED





STANDARD



								
NR KATALOGOWY	MOC [W]	BARWA	JASNOŚĆ [lm]	NAPIĘCIE wej. [V]	TRZONEK	Ra	WYMIAR LxFl [mm]	EAN
PR7-G13-44-WW	7	3000	675	230	G13	80	440x26	5901885264820
PR7-G13-44-NW	7	4000	700	230	G13	80	440x26	5901885264837
PR7-G13-44-W	7	6000	735	230	G13	80	440x26	5901885264844
PR10-G13-60-WW	10	3000	900	230	G13	80	600x26	5901885261621
PR10-G13-60-NW	10	4000	950	230	G13	80	600x26	5901885261638
PR10-G13-60-W	10	6000	1000	230	G13	80	600x26	5901885261645
PR15-G13-90-WW	15	3000	1245	230	G13	80	900x26	5901885264790
PR15-G13-90-NW	15	4000	1300	230	G13	80	900x26	5901885264806
PR15-G13-90-W	15	6000	1365	230	G13	80	900x26	5901885264813
PR18-G13-120-WW	18	3000	1700	230	G13	80	1200x26	5901885261652
PR18-G13-120-NW	18	4000	1800	230	G13	80	1200x26	5901885261669

STANDARD



								
NR KATALOGOWY	MOC [W]	BARWA	JASNOŚĆ [lm]	NAPIĘCIE wej. [V]	TRZONEK	Ra	WYMIAR LxFI [mm]	EAN
PR18-G13-120-W	18	6000	1900	230	G13	80	1200x26	5901885261676
PR25-G13-150-WW	25	3000	2950	230	G13	80	1500x26	5901885265018
PR25-G13-150-NW	25	4000	3100	230	G13	80	1500x26	5901885265025
PR25-G13-150-W	25	6000	3200	230	G13	80	1500x26	5901885265032



MIĘSNE



								
NR KATALOGOWY	MOC [W]	BARWA	JASNOŚĆ [lm]	NAPIĘCIE wej. [V]	TRZONEK	Ra	WYMIAR LxFI [mm]	EAN
PR7-G13-44-M	7	różowa	610	230	G13	80	440x26	5901885267449
PR10-G13-60-M	10	różowa	880	230	G13	80	600x26	5901885267456
PR15-G13-90-M	15	różowa	1340	230	G13	80	900x26	5901885267463
PR18-G13-120-M	18	różowa	1660	230	G13	80	1200x26	5901885267470
PR25-G13-150-M	25	różowa	2520	230	G13	80	1500x26	5901885267487

PRESCOT LED

PRESCOT Sp. z o.o.

ul. Wileńska 1, 11-500 Giżycko

Telefon: +48 87 428 21 18

Fax: +48 87 428 17 09

komponenty@prescot.pl

www.prescot.pl